



- SPOT WELDING
- DENT PULLER
- MIG
- PLASMA
- INDUCTION
- LIFT
- RIVETING
- BODYSHOP TOOLS



INVEST IN THE FUTURE



French manufacturer
since 1964

Car Body Welding Systems

Catalogue Carrosserie

Catalogo Carrozzeria

Karosserie-Schweißtechnik Katalog

Catálogo de Soldadura para Carrocería

2
0
2
3





900 people
125 000 000
55 000 m²
2 factories

Created in 1964, GYS is a French industrial group with 900 employees around the world. Built around continuous investment in Research & Development and in the acquisition of knowledge, the company is now a major player in the design and manufacture of welding machines, battery chargers and car body repair equipment.

“ The market realities are constantly changing and the size of our family business requires us to quickly adapt to new contexts and new challenges.

We are convinced that our future is closely linked to the future of our partners. This is why we do everything in our power to understand what distributors and users expect from us and what challenges they face every day. To support them in facing these challenges, we wish to become and remain their privileged partner on the path we will travel together. ”

Bruno Bouygues,
C.E.O.



Nicolas & Bruno Bouygues

A worldwide coverage

132 countries



visit with
Youtube

INVEST IN THE FUTURE

FR

Créé en 1964, GYS est un groupe industriel français regroupant plus de 900 collaborateurs dans le monde. Fort d'un centre de recherche de premier plan, GYS est un acteur majeur dans la conception et la fabrication d'équipements de soudage, de chargeurs de batteries et de systèmes de réparation carrosserie.

Les nouvelles réalités du marché sont en perpétuel changement et la taille de notre entreprise familiale nous impose une adaptation rapide aux nouveaux contextes et à leurs enjeux.

Nous sommes convaincus que notre avenir est étroitement lié à celui de nos clients. Pour cela, nous mettons tout en oeuvre pour comprendre ce que les distributeurs et les utilisateurs attendent de nous, savoir à quels défis ils font face et voir dans quelle mesure nous pouvons leur permettre de les relever afin de devenir et rester leur partenaire privilégié pour le chemin que nous avons à parcourir ensemble.

DE

GYS wurde 1964 gegründet und ist ein französisches Familienunternehmen mit mehr als 900 Mitarbeitern auf der ganzen Welt. Dank einem erstklassigen Forschungszentrum ist GYS ein wichtiger Akteur in der Entwicklung und Herstellung von Schweißgeräten, Batterieladegeräten und Karosseriereparatursystemen.

Neue Marktbedingungen sind in fortwährender Veränderung und die Größe unseres Familienunternehmens veranlasst eine rasche Anpassung an neue Umstände und an ihre Herausforderungen.

Wir sind überzeugt, dass unsere Zukunft eng mit der unserer Kunden verbunden ist. Dafür setzen wir all unser Können ein, um zu verstehen, was die Händler und Anwender von uns erwarten, welchen Herausforderungen sie gegenüberstehen und um zu schauen, in welchem Maße wir sie unterstützen können, damit wir ihr bevorzugter Partner werden und bleiben auf dem Weg, den wir gemeinsam beschreiten.

IT

Nato nel 1964, GYS è un gruppo industriale francese che raggruppa oltre 900 collaboratori nel mondo. Forte di un centro di ricerca di grande importanza, GYS è uno dei maggiori protagonisti nella progettazione e fabbricazione di apparecchiature per la saldatura e il taglio, di cariche batterie booster e avviatori e sistemi di riparazione delle carrozzerie.

Le realtà del mercato sono in continuo cambiamento e richiedono risposte immediate. Le dimensioni della nostra impresa familiare consentono un adattamento rapido ai nuovi contesti e alle loro problematiche.

Siamo convinti che il nostro futuro sia strettamente legato a quello dei nostri clienti. Per questo noi mettiamo il massimo impegno per capire quello che i distributori e i loro clienti/utilizzatori si aspettano da noi, quali sfide devono affrontare e come possiamo aiutarli per farli crescere, per diventare e restare loro partner di riferimento per proseguire insieme sul cammino del successo.



GYS FRANCE Laval	GYS GERMANY Aachen	GYS U.K. Rugby	GYS CHINA Shanghai	GYS ITALIA Venezia	GYS IBERICA Madrid
🕒 1964 👤 × 650	🕒 2006 👤 × 75	🕒 2008 👤 × 40	🕒 2004 👤 × 110	🕒 2015 👤 × 25	🕒 2022 👤 × 6

Partners





GYS ACADEMY

Training centre dedicated to professionals

Centre de formation agréé

Trainingcenter für Profis

Centro di formazione dedicato ai professionisti

Ref. 52 53 0068153

3 catalogues

3 200+ references



Welding & Cutting



Car Body Welding Systems



Chargers, Boosters & Starters

DENT PULLING

NEW
GYSPOT
p.6

Accessories, levelling bars
p.20

Workstations
p.24

Pulling systems
p.32

Paintless repair
p.38

MOBILE LIFT

TROLLEY IW1
p.41

NEW
MULTITOOL TRUCK
p.41

SPOT LIFT
p.42

AUTO ROLL & accessories
p.42

NEW
ERGO LIFT & accessories
p.44

SPOT WELDING

Overview
p.47

Traditional
PORTASPOT
p.48

GYSPOT 32D
p.48

Inverter
GYSPOT 100R
p.49

GYSPOT BP & PTI
p.50

X & C Arms
p.52

Genius
GYSPOT GENIUS
p.55
G Arms
p.60
Consumables & accessories
p.61

RIVETING

NEW
GYSPRESS
p.62

Accessories & consumables
p.68

MIG WELDING

GYS AUTO
p.74

NEW
AUTOGYS
p.76

AUTOPULSE
p.78

Helmets, accessories & consumables
p.84

INDUCTION

GYSDUCTION COMBIDUCTION
p.90

POWERDUCTION
p.92

PLASMA

CUTTER & EASYCUT
p.96

+ MORE

Windscreen repair p.98
Bumper repair p.100
Tools p.102
Dust vacuum p.107 **NEW**
Working lights p.108
Working supports p.110
Safety protections p.112

Advanced R&D

90



Metal work
Tôlerie
Blechbearbeitung



Painting & marking
Peinture & marquage
Lackierstraße



Electronics
Électronique
Elektronik



Mechanical
Mécanique
CNC-Bearbeitung



Transformers
Transformateurs
Transformatoren



Cable work
Filerie
Kabelkonfektionierung

Assembly
Montage/tests
Montage

100%
in house
production

www.gys.fr





GYSPOT

DENT PULLING

ACIER / STEEL / STAHL

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.23

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten
- Rétreinte - Tempering - Temperieren

NEW DESIGN COMING SOON



FIXED GUN

FIXED GUN


GYSPOT 2600

2600 A x1 AUTOMATIC

230V • 1~

052208

included




GYSPOT 2700

2600 A x1 MANUAL

230V • 1~

055353

included



GYSPOT 34.02 & 34.04

3500 A x1 MANUAL


230V • 1~

GYSPOT 34.02
065741

400V • 2~

GYSPOT 34.04
067943

included



QUICK GUNS

Quick & Easy

AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400,
EXPERT 200/230/400,
COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 2700
058705

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04

- Étoiles - Stars - Ausbeulstern
- Anneaux - Rings - Zugösen
- Fils ondulés - Wavy wires - Wellendraht
- Rabattage d'impact - Impact shrinking - Glätten
- Rétreinte - Tempering - Temperieren
- Rivets - Rivets - Nieten
- Rondelles - Rings - Unterlegscheiben
- Goujons - Studs - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A x1 AUTOMATIC

230V • 1~

GYSPOT 39.02
052215

400V • 2~

GYSPOT 39.04
052222

included



GYSPOT PRO 230 & PRO 400

3800 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT PRO 230
052178

400V • 2~

GYSPOT PRO 400
052185

included



GYSPOT EXPERT 200, 230 & 400

3800-4500 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT EXPERT 230
066885

200-240V • 1~

GYSPOT EXPERT 200
058842

400V • 2~

GYSPOT EXPERT 400
058859

included



MADE IN GYS CHINA	G NORM 62135	50/60 Hz	I ₂ max	U ₂	I _{AM}	I _{RMS}	kW	OK	OK	MANUAL	SYNERGIC	AUTOMATIC	MANUAL	SEPARATE CABLE GUN	cm	kg
MADE IN GYS CHINA	GYSPOT 2600	230V	2m	2600	5,4	16	1800	10	OK	—	—	—	—	—	20 x 32 x 18	15
	GYSPOT 2700	230V	2m	2600	5,4	16	1800	10	OK	—	—	—	—	—	20 x 32 x 18	14,5
	GYSPOT 34.02	230V	2m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	21
	GYSPOT 34.04	400V, 2ph	4m	3500	7,4	16	2500	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	21
MADE IN FRANCE	GYSPOT 39.02	230V	4m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22
	GYSPOT 39.04	400V, 2ph	4m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22
	GYSPOT PRO 230	230V	8m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT PRO 400	400V, 2ph	8m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT EXPERT 200	200-240V	8m	4350-5100	7,2-8,7	30(D)	3100-3600	25-36	OK	OK	—	—	—	—	22,5 x 36 x 23,5	24,5
	GYSPOT EXPERT 230	230V	8m	3800	7,4	16	2800	20	OK	OK	—	—	—	—	22,5 x 36 x 23,5	20,5
	GYSPOT EXPERT 400	400V, 2ph	8m	4500	7,4	16(D)	3200	25	OK	OK	—	—	—	—	22,5 x 36 x 23,5	22,5

GYSPOT


STEEL DENT PULLING



GYSPOT ALU

DENT PULLING

ALU



FIXED GUN

SYNERGIC CONTROL PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN



- ▼ Étoiles - Stars
- ⌋ Anneaux - Rings
- 〰 Filis ondulés - Wavy wires
- ⌋ Rabattage d'impact - Impact shrinking
- ⌋ Rétreinte - Tempering
- T Rivets - Rivets
- Rondelles - Rings
- ⌋ Goujons - Studs

GYSPOT ALU PRO FV
100 · 230V · 1~
7500 A x1 **AUTOMATIC**



ALU GUN **AUTOMATIC**

3 m, Ø 25 mm²
included ALU PRO FV & COMBI 230 E.PRO

66 mF CAPACITOR DISCHARGE WELDING

Ø 4mm

1 2 3 4

Joint rings for mandrel Ø 4/5/6 x 2 060814

with connectors for COMBI 230 E.PRO

OPTIONS

Consommables - Consumables p.10

Accessoires ALU - ALU accessories p.19

Chariots - Trolleys p.23



GYSPOT COMBI



DENT PULLING

ALU + ACIER / STEEL / STAHL

2 GUNS INCLUDED



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO
230V · 1~

3800 A Acier / Steel / Stahl x2 **AUTOMATIC**

7500 A Alu **MANUAL**



MADE IN FRANCE 62135	50/60 Hz	I ₂ max A	U ₂ V	I _{AM} A	I _{RMS} A	kW	MANUAL	SYNERGIC	AUTOMATIC	MANUAL	SEPARATE CABLE GUN	3m	Included Alu box	21 x 24 x 36	12.5
GYSPOT ALU PRO FV	110 > 230V	2 m	7500	50 > 200	5	0.65	OK	OK	■	■	—	3 m	Included Alu box	21 x 24 x 36	12.5
GYSPOT COMBI 230 E.PRO	230V	8 m	3800 (steel) 7500 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	2/3 m	Included Spotter box + Alu box	45 x 43 x 29	42.5

GYSPOT

ALU + STEEL DENT PULLING



DRAWN ARC

DENT PULLING


ALU + ACIER / STEEL / STAHL




FV FLEXIBLE VOLTAGE



SR SECONDARY REGULATION



AD ANTI-DUST



MANUAL & SYNERGIC CONTROL



MANUAL



- Anneaux - Rings - Zugösen
- Goujons - Studs - Gewindebolzen
- Tiges inox - Stainless steel nails
- Edelstahlnägel

- 1 Amorce - Start-up - Zündung
- 2 Décapage - Scouring (I & t) - Abbeizen
- 3 Arc (I & t) - Arc - Lichtbogen
- 4 Accroche - Hitching (I & t) - Verklebung
- 5 Hauteur - Height - Höhe



7 languages
FR, EN, DE, SP, IT, NL & RU

SYNERGIC DIGITAL GUNS

★★★★★

UNIQUE Linear Motor

DRAWN ARC PROCESS
Gas protection



3 m, Ø 25 mm²
included
ARC PULL 200 & 350,
COMBI ARCPULL



Full control



Ø max
Alu : 6 mm
Fe : 6 mm



NEW

2 GUNS INCLUDED

GUN WITH CONNECTOR

GYSPOT ARC PULL 200

100 · 230V · 1~

200 A x1 MANUAL

FV SR AD

057470

included

- Manual synergic gun 3 m, 25 mm²
- ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi) 059429
- Lifting rod 180 mm (x3)

COMBI ARCPULL

230V · 1~

ARCPULL 200 A Alu	+	EXPERT 3800 A Acier / Steel / Stahl
x1 MANUAL		x1 MANUAL

- 069824
- Arccpull accessories included
- Manual synergic gun 3 m, 25 mm²
 - ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi) 059429
 - Lifting rod 180 mm (x3)
- Expert accessories included
- Manual quick gun, 2 m, 70 mm² (057524) + Hammer (057272)
 - Earth cable 2 m, 70 mm²
 - SPOTTER BOX PRO (050075) (Details p.10)

MADE IN FRANCE 60974-1	50/60 Hz	I ₂ A	SYNERGIC			EXPERT			kW	cm	Product	Product + gun		
			SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	V						
GYSPOT ARC PULL 200	110 · 230V	6 m	10 · 100 (110 V)	■	■	Manual + Digital Gun Motion Control	20.4 · 24 V (110 V)	16	2.4 (110 V)	OK	OK	20.5 x 25 x 33	8.6 kg	11.9 kg
			10 · 200 (230 V)	20.4 · 28 V (230 V)	5.6 (230 V)									
COMBI ARCPULL	230V	8 m	Alu 10 · 200	■	■	Manual (not included)	Alu 20.4 · 28 V	16	Alu 5.6	OK	OK	45 x 37 x 24.5	29 kg	39 kg
			Acier 3800	Steel 3800	Steel 7.4 V	Steel 20								



GYSPOT ARC PULL

DRAWN ARC DENT PULLING



ALU + ACIER / STEEL / STAHL



- Anneaux - Rings - Zugösen
- Goujons - Studs - Gewindebolzen
- Tiges inox - Stainless steel nails - Edelstahlnägel
- 1 Amorce - Start-up - Zündung
- 2 Décapage - Scouring (l & t) - Abbeizen
- 3 Arc (l & t) - Arc - Lichtbogen
- 4 Accroche - Hitching (l & t) - Verklebung
- 5 Hauteur - Height - Höhe


MANUAL




7 languages
FR, EN, DE, SP, IT, NL & RU

SPECIAL TEARING RIVETS


Spécial arrachage de rivets - Spezial-Zugnieten



PFC POWER FACTOR CORRECTION



SR SECONDARY REGULATION



AD ANTI-DUST



∅ max
Alu/Fe: 8 mm



∅ max
Alu: 10 mm
Fe: 13 mm

NEW



3 m, ∅ 50 mm²
included
ARC PULL 700




Ideal all position

SYNERGIC DIGITAL GUNS

★★★★★ DRAWN ARC PROCESS
Gas protection

UNIQUE
Linear
Motor



FULL CONTROL

3 m, ∅ 25 mm²

included
ARC PULL
200 & 350,
COMBI ARC PULL



Consumables for Gun



x1 059610

GYSPOT ARC PULL 350

208 · 240V · 1~

350 A x1 MANUAL

PFC SR AD

062191

included



Manual synergic gun
3 m, 25 mm²

PACKS
ARC PULL
350

350 RIVET

064645

350 PULLER

064652

350 PULLER + RIVET

064669

	Arc Pull 350	Croco T400.70 043787	Rivet box 064584	Alu ring box 1.5 mm 059429	Rivet 059610	Lifting rods 050792
350 RIVET 064645	■	■	■	—	—	—
350 PULLER 064652	■	—	—	■	x1	180, 300, 500 mm
350 PULLER + RIVET 064669	■	■	■	■	x1	180, 300, 500 mm

GYSPOT ARC PULL 700

380 · 480V · 3~

680 A x1 MANUAL

SR IP 23

OPTIONS

details p.23



Weld 810 for ARC PULL 200 & 350
037489

Weld 910 for ARC PULL 700
070967

068315

included

- Manual synergic gun 3 m, 50 mm²
- Arc Pull Rivet Box 700
- Lifting rod 180 mm (x1)
- Ground studs holder ∅ 6 (x1) 075368, ∅ 8 (x1) 075375, ∅ 10 (x1) 075382
- Threaded holder ∅ 5 (x1) 076174, ∅ 6 (x1) 068391
- Double earth clamps 700 A, 3 m, 50 mm² 068605
- ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi) 059429
- Gas protection (x1) 068346

MADE IN FRANCE 60974-1	50/60 Hz	I ₂	SYNERGIC	TECHNOLOGY	U ₂	kW	cm	ArcPull	ArcPull + gun	
										Acier/Steel
GYSPOT ARC PULL 350	208 · 240V	6 m	10 · 350	Manual + Digital Gun Motion Control	20.4 · 34V	16	11.9	23 x 31 x 28.4	11 kg	14.3 kg
GYSPOT ARC PULL 700	3x 400V 3x 480V	5 m	50 · 680	Manual + Digital Gun Motion Control	22 · 44V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	32 x 32.4 x 41	17.4 kg	20.4 kg





GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES



ACIER / STEEL / STAHL

x1 059634	x1 059641	x1 064065	nail Ø2mm x50mm x100 041561	Ø2mm x100 064034	mandrel Ø4mm x16mm x2 049000	mandrel Ø5mm x16mm x1 048157	inox - stainless steel Ø4 x50mm x100 064607	mandrel Ø5mm x18mm x100 048157	mandrel Ø6mm x18mm x100 049383	mandrel Ø7.1mm x12mm x100 049413	mandrel Ø7.1mm x18mm x100 049420	mandrel Ø6mm x20mm x1 048164	mandrel Ø6mm x20mm x100 063969	stud internal M4 x20mm x200 063990	mandrel Ø7.1mm x20mm x1 064041	stud internal M5 x20mm x200 064003	mandrel Ø8mm x20mm x1 064058	stud M8 x20mm x100 063976	
STEEL STUDS BOX 200 & 350 059443	x1	x1			x1	x100		x1	x100	x100	x100								

ALU

x1 059634	x1 059641	x2 049000	mandrel Ø4mm x16mm x100 059573	mandrel Ø5mm x16mm x1 048157	inox - stainless steel Ø4 x50mm x100 064607	mandrel Ø5mm x16mm x1 048157	mandrel Ø6mm x16mm x100 059580	mandrel Ø6mm x16mm x1 048157	mandrel Ø7.1mm x16mm x100 059597	mandrel Ø7.1mm x20mm x200 064010	mandrel Ø6mm x20mm x1 048164	mandrel Ø6mm x20mm x100 059597	stud internal M4 x20mm x200 064010	stud internal M5 x20mm x200 064027	mandrel Ø8mm x16mm x1 064058	stud M8 x16mm x100 063983
ALU STUDS BOX 200 & 350 059436	x1	x1	x1	x100	x1	x100	x1	x100	x1	x100	x1	x100				

ALU RING BOX 1mm / 1.5mm x100			Ring holder (x1) 059610	Tension mandrel for M4 (x1) 050327
ALU RING BOX 1 mm 059412	ALU RING BOX 1.5 mm 059429	ALU RING BOX 2 mm 065703		
1mm x50	1.5mm x50	2mm x100		
1mm x50	1.5mm x50	2mm x100		
1mm x50	1.5mm x50	2mm x100		
1mm x20	1.5mm x20	2mm x100		
1mm x20	1.5mm x20	2mm x100		
1mm x20	1.5mm x20	2mm x100		



GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES

x100	x1	x1	x1	x1	x1	x2	x1	x1	x1	Ø6 (x1) 075368	Ø5 (x1) 076174	50 mm², 3 m, 700 A 068605
ARC PULL RIVET BOX 700 068452										Ø8 (x1) 075375	Ø6 (x1) 068391	
										Ø10 (x1) 075382		




FAST DENT PULLING



ACIER / STEEL / STAHL

EASY TOOL CONNECTION



for GYSPT
39.02/04,
PRO 230/400,
EXPERT 200/230/400,
COMBI 230 PRO

051690



3 m
Ø 35 mm²



Masse pistolet acier
- Steel gun earth adapter
- Masse für Stahl Pistole

051997



Ø 25 mm²



051584

380 g



Anneaux
- Rings
- Anschweißösen

051652



Fils ondulés
- Wavy wires
- Wellendraht

051669



Rétreinte
- Tempering
- Glättwerkzeug

051676



EASYGUN
051317



Box of 3
electrodes for
accessories
050822



Poignée de tirage
manuel
057289

MANUSPOT =

050679



Tools set & support
for DENT 600, 800, 1000, 1600,
Workstation & Dentstation



EASYGUN
051317

MANLINER

050471




3 m
Ø 35 mm²

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN

MANLINER/GUN

056831



Adaptateur pistolet
- Gun adapter
included
052499



PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN

Direct impact electrodes (x5)
050839

Patins - Pads (x2)
060807

FAST & EASY



RINGMATIC

052154

included
(x 50)



Option
Adaptateur
pistolet - Gun
adapter
052499

AFFUTEUR D'ANNEAUX ACIER - Steel Ring sharpener - Stahl Zugösenstecher

072565

Acier - Steel - Stahl



Poinçon et matrice affuteur
pneumatique pour anneaux
acier - Pneumatic punch and
die sharpener for steel rings
072299

QUICK SPOT AIR GUN V2

057340

LIGHT
920 g



2,5 m

QUICK SPOT AIR GUN V2 + Mini-fraiseuse - Mini-Druckluftfräser

065567

057340 + 063228



Included
Tungsten drill
Ø 6 mm
054172

Adaptateur pistolet - Gun adapter
052826

ALU

ARC PULLER PREMIUM

065161



Included
Alu 3
065178

Included
Alu 4
065185

Patins - Pads
(x2)
069008

ULTRA RESISTANT
No deformation

GRIP
Full rotation

Multi positions

ARC PULLER PREMIUM PRO

072572




Patins - Pads
(x4)
074958

Included
Alu 3
065178

Included
Alu 4
065185

ALU PULLER

051003



4 positions

Included
Alu 1
050938

Included
Alu 2
050945

Patins - Pads (x2)
060807

LAMPE LIGNE DROITE

- Straight line lamp - Dentline-laser

056770



ANNEAUX DE TIRAGE RAPIDE

- Fast pulling rings

058743

x5
058712

Alu 1
050938

Alu 2
050945

goujons alu -
alu screws
Ø 4, 5 & 6 mm

MARTEAUX ALU

- Alu hammers

020986



Marteau à
inertie 380 g
050051

Décapeur thermique
- Heat gun -
Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min



Affichage digital
Digital display
066311

Pistolet à air chaud
autonome à gaz
- Gas hot air gun

Bouteille de gaz incluse,
gas cylinder
included



060777

Lampe à souder
- Blow torch -
Lötlampe

NOVACET
380 ml/220 g



052741

Novacet +
(Butane/propane/
propylene)

HIGH QUALITY



040441

Brosses -
Brushes -
Bürsten -
Brossen -
Cepillos

Inox -
Stainless -
Edelstahl



044258

Crayon marqueur
thermique
- Thermal marking
pencil

121°C /
250°F



052765

Thermomètre
infrarouge
- Infrared
Thermometer


-50 / +380°C
-58 / +716°F



052994

Spray refroidisseur
- Freezer spray


-50°C
400 ml



(x 12)
048898

Spray barrière
thermique
- Heat barrier
spray


054325



054325

MARTEAUX INERTIE - Slide hammers - Ausbeulhammer

COMPLETE 057272



Options

- (x1) 054028
- (x5) 050839
- (x1) 049802
- (x1) 049482
- (x20) 052239

1,1 kg

Clous - Nails - Nägel



1,1 kg


041813

MIG/MAG nozzle for Nail welding 041523

Ø2 (x100) 041561

Ø 2, M4 (x1) 049277

Rondelles - Washers - Ringe



51 cm

1,7 kg


051201

8x16 (x100) 049444

Ø 16, 8x16 (x1) 049574

(x1) 051218

COMPLETE KIT 051225



2,5 kg

049819

(x1)

(x25)

(x50)

(x1)

(x1)

Kit marteau à inertie - Inertia hammer kit - Ausbeulhammerset



6 kg

051928

Poignée de tirage 3 dents - Pulling handle 3 claws - Handzugkralle 3-fach



057326

057302

Poignée de tirage 2 dents - Handzugkralle 2-fach



057319

Alu Puller 051003



Mini Puller 050921


Alu 1 050938

Alu 2 050945

GRIFFES - Gripping hook head - Ausbeulhaken

Compatibility:

STANDARD **PREMIUM**




2-teeth hook 057296


Premium 2-teeth hook 059382

Premium 3-teeth hook 059658

Curved lifting rod 280 mm 064706




Lifting rods 180, 300 & 500 mm 050792



STANDARD

Lever de débousselage - Levelling lever - Zughebel




1.6 kg

050686

450 mm max

PATENTS REGISTERED NUMBERS 001652108-0002 EUROPEAN TRADEMARK & DESIGN

Barre de débousselage double action - Double action levelling bar - Zughebelbrücke




053564

860 mm

Licensed by BETAG.Innovation

Barre de débousselage - Levelling bar - Zugbrücke




3.4 kg

050693

780 mm max

Licensed by BETAG.Innovation

Barre de tirage renforcée - Reinforced scissoring bar - Scherenzugbrücke



5.1 kg

050716

780 mm max

PATENTS REGISTERED NUMBERS 001652108-0001 EUROPEAN TRADEMARK & DESIGN

Barre renforcée Strengthened bar

OPTIONS



1200 mm

1120 mm max

Barre renforcée - Reinforced bar - 1200mm 051171

(x1) 056794

(x1) 056800

Option : (x1) 058439

55 mm

Support double patin - Double pads support - Doppelfüße 050723

Extension (x2) 052451

PREMIUM


ULTRA LIGHT

ULTRA ERGONOMIC

ULTRA RESISTANT No deformation

PERFECT BALANCE

Lever de débousselage Premium - Premium Levelling lever - Premium Zughebel



1.6 kg


059290

720 mm

147

2 positions

Barre de débousselage Premium - Premium levelling bar - Premium Zugbrücke




2.8 kg

059306

670 mm max

220

Barre de tirage Premium - Premium scissoring bar - Premium Scherenzugbrücke



3.1 kg

058996

670 mm max


147

220

Old design

NEW DESIGN

Barre de tirage 1200 renforcée Premium - Premium 1200 scissoring bar - Premium Scherenzugbrücke 1200



5.6 kg

059313

1130 mm max

220

Old design

NEW DESIGN

SLIDE & LOCK SYSTEM

Strengthened bar Barre renforcée


069268

059399

SLIDE & LOCK

GRIP


FULL ROTATION



Multi positions



Arc Puller Premium 065161



Alu 4 065185

Alu 3 065178

Patins - Pads (x2) 069008

x2 059375

x2 059351

150

x1 072688

270




x1 059320

150


x2 061293

220




PREMIUM PRO


Barre de débousselage Premium Pro 900 mm
- Premium Pro levelling bar 900 mm
- Premium Pro Zugbrücke 900 mm
3.8 kg
071643



Barre de tirage Premium Pro 900 mm
- Premium Pro scissoring bar 900 mm
- Premium Pro Scherenzugbrücke 900 mm
4.5 kg
072305




Levier de débousselage Premium Pro
- Premium Pro Levelling lever
- Premium Pro Zughebel
1.6 kg
072619



Barre Premium Pro 1150 mm
- Premium Pro bar 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm
072626



OPTIONS



PREMIUM BAR SMARHAND



DENT PULLING WORKSTATIONS

CHARIOTS / TROLLEYS

Spot 600
39 x 14 x 60 cm,
7.1 kg
053533



NEW DESIGN
COMING SOON

Dent 600
072831



Spot 1000
39 x 14 x 60 cm,
10.8 kg
053540




NEW DESIGN
COMING SOON


Dent 1000
072848



Universal 800
52 x 15 x 80 cm,
18.1 kg
051331



Weld 810
55 x 22 x 78 cm,
21.6 kg
037489




Weld 910
79 x 50 x 115 cm,
27.5 kg
070967




NEW

Dent 1600
072596



Dent 1600 WD
072169




Dentstation PRO
81 x 29 x 61 cm, 58 kg
056848




NEW

Dentstation Pro WD
072800



Compatibility

SPOT	Spot 600	Dent 600	Spot 1000	Dent 1000	Weld 810	Weld 910	Universal 800	Dent 1600	Dent 1600 WD	Dentstation Pro	Dentstation Pro WD
2600, 2700
34.02/04
3902/04
PRO 230/400
EXPERT 230/400
ALU PRO FV
COMBI 230 E.PRO
ARCPULL 200/350
ARCPULL 700





DENT PULLING WORKSTATIONS

UNE SOLUTION COMPLÈTE
A COMPLETE SOLUTION
KOMPLETTLÖSUNGEN



✓ PRO 230 072398

EASYLINER ACIER / STEEL / STAHL



✓ PRO 230 035799
✓ PRO 400

PROLINER ACIER / STEEL / STAHL



✓ 39.02
✓ 39.04 035782

EASYLINER ACIER / STEEL / STAHL

GYSPOT (guns & consumables included)	DENT 1000 072848	Levelling bar double action 053564 + Dent box easy 053632	
39.02 053618 058521	GYSPOT 39.02	✓	
PRO 230 072398	GYSPOT PRO 230	✓	

PROLINER ALU

GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Alu puller 051003
ALU PRO FV 035836	GYSPOT ALU PRO FV ✓	✓	✓

PROLINER ACIER / STEEL / STAHL

GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Levelling bar double action 053564 + Dent box bar 050037
39.02 035775	GYSPOT 39.02	✓	✓
39.04 035782	GYSPOT 39.04	✓	✓
PRO 230 035799	GYSPOT PRO 230	✓	✓
PRO 400 035805	GYSPOT PRO 400	✓	✓

PROLINER ALU (ACIER / STEEL / STAHL)

GYSPOT (guns & consumables included)	Weld 810 037489	Cable support 052284	Arc puller premium 065161
ARC PULL 200 065260	GYSPOT ARC PULL 200 ✓	✓	✓



✓ ALU PRO FV 035836

PROLINER ALU



✓ ARC PULL 200 065260

ALU (ACIER / STEEL / STAHL)

SPEEDLINER V2

ALU PRO FV 074552	GYSPOT ALU PRO FV												
39.02 074422	GYSPOT 39.02												
39.04 074439	GYSPOT 39.04												
PRO 230 074446	GYSPOT PRO 230												
PRO 400 074453	GYSPOT PRO 400												
EXPERT 200 074460	GYSPOT EXPERT 200												
EXPERT 230 074477	GYSPOT EXPERT 230												
EXPERT 400 074484	GYSPOT EXPERT 400												
COMBI 230EPRO 074491	GYSPOT COMBI 230 E.PRO	✓	×2										
ARC PULL 200 074507	GYSPOT ARC PULL 200 + PRO 230												
+ PRO 400 074514	GYSPOT ARC PULL 200 + PRO 400												
+ EXPERT 200 074521	GYSPOT ARC PULL 200 + EXPERT 200	✓	×2										
+ EXPERT 230 074538	GYSPOT ARC PULL 200 + EXPERT 230												
+ EXPERT 400 074545	GYSPOT ARC PULL 200 + EXPERT 400												✓
without generator	035058												

SPEEDLINER PREMIUM V2

ARC PULL 200 073999	GYSPOT ARC PULL 200															
ARC PULL 350 074934	GYSPOT ARC PULL 350															
PRO 230 073883	GYSPOT PRO 230															
PRO 400 073890	GYSPOT PRO 400															
EXPERT 200 073906	GYSPOT EXPERT 200															
EXPERT 230 073920	GYSPOT EXPERT 230															
EXPERT 400 073944	GYSPOT EXPERT 400															
COMBI 230EPRO 073968	GYSPOT COMBI 230 E.PRO	✓	×2													
COMBI ARCPULL 074569	GYSPOT COMBI ARCPULL															
ARC PULL 200 073975	GYSPOT ARC PULL 200 + PRO 230															
+ PRO 400 073982	GYSPOT ARC PULL 200 + PRO 400															
+ EXPERT 200 073913	GYSPOT ARC PULL 200 + EXPERT 200	✓	×2													
+ EXPERT 230 073937	GYSPOT ARC PULL 200 + EXPERT 230															
+ EXPERT 400 073951	GYSPOT ARC PULL 200 + EXPERT 400															



✓ ALU PRO FV 074552

SPEEDLINER V2 ALU



★ ★ ★ ★ ★

✓ COMBI 230 E.PRO
✓ COMBI ARCPULL
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

073937

SPEEDLINER PREMIUM V2



★ ★ ★

✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

074538

SPEEDLINER V2 ACIER / STEEL / STAHL



073999

✓ ARC PULL 200, ARC PULL 350

073920

✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

SPEEDLINER PREMIUM V2 ACIER / STEEL / STAHL





DENTSTATION

39.02 028012	GYSPT 39.02					✓									
39.04 028029	GYSPT 39.04					✓									
PRO 230 036420	GYSPT PRO 230														
PRO 400 036437	GYSPT PRO 400														
EXPERT 200 036734	GYSPT EXPERT 200					✓									
EXPERT 230 067028	GYSPT EXPERT 230														
EXPERT 400 036741	GYSPT EXPERT 400														
COMBI 230 E.PRO 036444	GYSPT COMBI 230 E.PRO	✓	x2				✓						✓		
ARC PULL 200 + PRO 230 069039	GYSPT ARC PULL 200 + PRO 230														
+ PRO 400 069077	GYSPT ARC PULL 200 + PRO 400														
+ EXPERT 200 065321	GYSPT ARC PULL 200 + EXPERT 200	✓	x2			✓									✓
+ EXPERT 230 067035	GYSPT ARC PULL 200 + EXPERT 230														
+ EXPERT 400 065338	GYSPT ARC PULL 200 + EXPERT 400														

DENTSTATION PREMIUM

PRO 230 028067	GYSPT PRO 230												
PRO 400 028074	GYSPT PRO 400												
EXPERT 200 036758	GYSPT EXPERT 200												✓
EXPERT 230 067042	GYSPT EXPERT 230												
EXPERT 400 036765	GYSPT EXPERT 400												
COMBI 230 E.PRO 036772	GYSPT COMBI 230 E.PRO	✓	x2			✓						✓	
COMBI ARCPULL 074941	GYSPT COMBI ARCPULL												
ARC PULL 200 + PRO 230 069046	GYSPT ARC PULL 200 + PRO 230												
+ PRO 400 069084	GYSPT ARC PULL 200 + PRO 400												
+ EXPERT 200 065345	GYSPT ARC PULL 200 + EXPERT 200	✓	x2			✓							✓
+ EXPERT 230 067059	GYSPT ARC PULL 200 + EXPERT 230												
+ EXPERT 400 065352	GYSPT ARC PULL 200 + EXPERT 400												



✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200,
EXPERT 230, EXPERT 400

036741


DENTSTATION ACIER / STEEL / STAHL



065352

DENTSTATION PREMIUM ALU + ACIER / STEEL / STAHL

✓ COMBI 230 E.PRO
✓ COMBI ARCPULL
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200



065338

DENTSTATION ALU + ACIER / STEEL / STAHL

✓ COMBI 230 E.PRO
✓ ARC PULL 200 + PRO 230
✓ ARC PULL 200 + PRO 400
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200























036765
















DENTSTATION PREMIUM ACIER / STEEL / STAHL

✓ PRO 230, PRO 400
✓ EXPERT 200, Expert 230,
EXPERT 400






DENTSTATION PREMIUM PRO

 GYSPT EXPERT 230 (guns & consumables included) 066885	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688
STEEL ACCESSORIES PACK 073821											
GYSPT EXPERT 230 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK = 073845											


 GYSPT EXPERT 400 (guns & consumables included) 058859	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688
STEEL ACCESSORIES PACK 073821											
GYSPT EXPERT 400 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK = 073852											

 GYSPT COMBI ARCPULL (guns & consumables included) 069824	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688	 Potence pour servantes de débosselage 052284	 4 m³ support 059665	 Arc Puller Premium Pro 072572
STEEL ACCESSORIES PACK 073821														
ALU ACCESSORIES PACK 073838														
GYSPT COMBI ARCPULL + DENTSTATION PRO WD + STEEL ACCESSORIES PACK + ALU ACCESSORIES PACK = 073869														

 GYSPT EXPERT 400 + ARCPULL 200 (guns & consumables included) 058859 + 057470	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688	 Potence pour servantes de débosselage 052284	 4 m³ support 059665	 Arc Puller Premium Pro 072572
STEEL ACCESSORIES PACK 073821														
ALU ACCESSORIES PACK 073838														
GYSPT EXPERT 400 + ARCPULL 200 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK + ALU ACCESSORIES PACK = 073876														

 GYSPT EXPERT 400 + ARCPULL 350 (guns & consumables included) 058859 + 062191	 Dentstation Pro WD 072800	 Manuspot 050679	 Ringmatic 052154	 Manual pulling handle 057289	 3 lifting rods 050792	 Dent box consumables 051515	 Magnetic earth 049666	 Levelling bar & scissoring bar Premium Pro 072305 - 071643 072619 - 072626	 071650 072312	 Gripping hook head 072664 - 072671 072640 - 072657	 Double padded feet 270 mm 072688	 Potence pour servantes de débosselage 052284	 4 m³ support 059665	 Arc Puller Premium Pro 072572	 Alu Ring Box 1,5 mm 059429 - 059610
STEEL ACCESSORIES PACK 073821															
ALU ACCESSORIES PACK 073838															
GYSPT EXPERT 400 + ARCPULL 350 + DENTSTATION PRO WD + STEEL ACCESSORIES PACK + ALU ACCESSORIES PACK = 076020															


STEEL ACCESSORIES



073845

DENTSTATION PREMIUM PRO EXPERT 230

STEEL ACCESSORIES



073852

DENTSTATION PREMIUM PRO EXPERT 400

STEEL & ALU ACCESSORIES



073869

DENTSTATION PREMIUM PRO COMBI ARCPULL

STEEL & ALU ACCESSORIES



076020

DENTSTATION PREMIUM PRO EXPERT 400 + ARCPULL 200, 350

NEW





PULLING SYSTEMS




Youtube

FR DRAW ALIGNER

Équerre de tirage - Draw aligner - Schnellausbeul-Richtausleger 052475




OPTIONS




INCLUDED

Câle pour bas de caisse - Wedge for rocker panel





Kit patins pour bas de caisse - Pads kit for rocker panel



OPTIONS


Bras de bas de caisse - Rocker panel arms for draw aligner - Abstütztraverse für Richtausleger

052581



FR DRAW ALIGNER PRO



069244




Débosselage déporté

Haute stabilité - High stability

049734 (included) 058347 (included)



OPTIONS



INCLUDED


Câle sous roue - Plate under the wheel 076693



Câle pour bas de caisse - Wedge for rocker panel



Kit bras de bas de caisse et barre de stabilisation - Rocker panel arms and stabilisation bar



OPTIONS

Kit patins pour bas de caisse - Pads kit for rocker panel

071278



SYSTÈME DE TIRAGE SMART PULLER SILVER
- Smart puller silver pulling system - Schnellausbeul-Richtausleger Smart puller silver

054820



- Portières - Doors - Türen
- Montants - Supports - Scheibenrahmen
- Capot - Hood/Bonnet - Haube
- Armature - Armature - Rahmen
- Bas de caisse - Rocker panel - Schweller
- Ailes - Wings - Kotflügel
- Toit - Roof - Dach
- Hayon - Hatchback - Heckdeckel

min : 0,60 m
max : 2,00 m

min : 1,50 m
max : 2,70 m

0,55 m
0,20 m
1,55 m
0,35 m
54 kg


Autorobot

INCLUDED

Accessories



ELECTRO POWER - Zug-Druckpresse Non commercialisable en France



with accessories : 057425

PULLING POWER: 5 Ton.
PUSHING POWER: 5 Ton.
PISTON STROKE: 130 mm

MADE IN ITALY

INCLUDED

Standard kit : 425x620x210 mm
Standard kit Total weight: 18 kg
057401

Li-Ion battery (included) 058514

Accessories kit : 425x620x150 mm
Accessories kit Total weight: 20 kg
057418

COFFRET VÉRIN HYDRAULIQUE - Hydraulic cylinder kit - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345



BASIC 10T
052338



PRO 4T
057432



PRO 10T
057449



OPTIONS



Huile hydraulique 1L
- Hydraulic oil 1L
053397


BARRE D'ANCRAGE - Anchor bar - Türspanner

MADE IN TAIWAN

053045



053052



MESURES - Measuring tools - Vermessung

BODYMETER, Mechanical measurements

052130




GYSMETER, Electronic measurements

052093




Light weight measuring arm with an easy to read digital display


PINCE PIVOTANTE
- Swivel clamp





PINCES DE TIRAGE - Frame Straightening - Ziehwerkzeuge







CROCHET DE TIRAGE - Frame Straightening - Ziehwerkzeuge







PASSAGE DE ROUE - Arch hooks




CHAÎNES DE TIRAGE - Frame Straightening - Ziehwerkzeuge




PINCES DE TIRAGE LARGES - Wide pull clamps



PINCE DE TIRAGE MULTIPLE
- Multiple pull clamp



PINCE CISEAUX LARGEUR
45 mm - 45 mm scissors clamp




PINCE DE TIRAGE POUR ANGLE 90°
- 90 Degree corner clamp




PINCE DE TIRAGE TYPE C
- C type clamp



KIT MARTEAU À INERTIE - Inertia hammer kit - Ausziehhammer kit



SATELLITE INTELLIGENT - Smart Satellite - Satellite Komplett-Kit



The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND




PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727


1 SATELLITE
- Satellite - Satellite Basisbügel-Set




2 KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungs-Kit-Federbein (McPherson)



3 BARRE POUR TIRER/POUSSER
- Push/Pull Bar - Zug/Druck-Stangenset



4 SATELLITE (B)
- Bügelverlängerung



5 SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt



6 DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite - Satellite Doppelklemme



PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp - Multifunktions-Zugklemme



POWER-PULLER 4T





Débosselage rapide et sans peinture
- PDR: Paintless Dent Repair
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR

INDUCTEUR DÉBOSELAGE - Dent Pulling Inductor - Dellenmatrix

GYSDUCTION AUTO

+ Dent pulling inductor
054776

= GYSDUCTION AUTO DENT REPAIR
054981




MADE IN FRANCE



Licensed by BETAG.Innovation

INSPECTION CARROSSERIE - Dent Pulling Inductor - Ausbeul Induktor

Plaque flexible pour inspection de la carrosserie - Ausbeul-Matrix
Ø 800 mm
059122




OPTION
Spray refroidisseur - Freezer spray
-50 °C
400 ml
(x 12)
048898

⚡	⚡	⚡	Freq.	INTEGRATED TECHNOLOGY		❄️	Cable (m)	⚖️	👤
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling	Inductor	cm	kg
230V, 1~	16	2 400	35+120	▪	▪	—	2, 2,5	22 x 36 x 27	7,5

KIT MAGNÉTIQUE DE DÉBOSELAGE SANS PEINTURE - Paintless Dent Repair magnetic kit - Magnetisches Ausbeul-Kit

053168

EXELTOOLS




LAMPES DE DÉBOSELAGE - Paintless Dent Repair lamps - Ausbeullampe

ULTRA LIGHT CARBON X40 PW
053175

EXELTOOLS



KIT DÉBOSELAGE SANS PEINTURE - Dent Pulling Kit (paintless) - Dellenausbeulhebel-Set



33 parts

051959



KIT DE 6 COINS DE FRAPPE - Set of 6 pencil punches - Beulenstemmer-Satz mit 6 Tefloneinsätzen




052888



MADE IN FRANCE



MARTEAU INERTIE PNEUMATIQUE - Pneumatic inertia hammer - Unterdruck-Schlaghammer



051904

MARTEAU À INERTIE À VENTOUSES (POMPAGE MANUEL) - PUMP AIR SUCTION SLIDE HAMMER - Man. Unterdruck-Schlaghammer



048683

KIT COUSSINS GONFLABLES - Air Cushion Kit - Luftpolster-Spreizkissen-Satz

- Air Cushion Kit - Luftpolster-Spreizkissen-Satz





051942



Débosselage rapide et sans peinture
- PDR: Paintless Dent Repair
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR

BARRETTES ANNEAUX PLASTIQUE Plastic Multipads Ösen-Klebe pads



GLUE PULLING KITS

GYSMART GLUE PULLING KIT

NEW



GYSMART GLUE PULLING KIT PLUS

NEW



Workstation 054233	Set of pencil punches with 6 teflon tips 052888	Infrared thermometer 052994	Heat Gun 066311	Levelling bar 050693	6 Gripping multihook head 049734	3 Lifting rods 150/300/500 mm 050792	Set of 3 conical plastic multipads 048096 048072 048089 048119 048102	Inertia hammer 057906	Set of 6 glue tips 050952	Glue Puller PRO 058699	Glue Puller PRO Export 059160	33PC Paintless dent repair kit 051959	PDR Light ultra light carbon X40PW 053175	Mini puller 050921	Aluminium clamp 2 050945
--------------------	---	-----------------------------	-----------------	----------------------	----------------------------------	--------------------------------------	---	-----------------------	---------------------------	------------------------	-------------------------------	---------------------------------------	---	--------------------	--------------------------

GYSMART GLUE PULLING KIT 076051	✓														
GYSMART GLUE PULLING KIT EXPORT 076105		✓									✓				
GYSMART GLUE PULLING KIT PLUS 076082				✓											✓
GYSMART GLUE PULLING KIT PLUS EXPORT 076129		✓											✓		



TRUCK TOOLS

TROLLEY IW1
Impact wrench trolley -
Support de clé à choc

max 6.5 bar

max 20 kg

063136


OPTIONS

Huile hydraulique - Hydraulic oil 1l 053397

Suppression du poids, des vibrations et du couple
- Weight, vibrations & torque suppression




Liberté de mouvement - High dexterity



Grande maniabilité et stabilité
- High maneuverability & stability



Clé à choc - Impact wrench
max 20 kg
Fixation
36 x 36 mm → 44 x 44 mm





MULTITOOL TRUCK

SAFE EN 14238 + A1



max 200 kg

067158

INCLUDED



HEALTH CARE



41

TRUCK TOOLS




SPOT LIFT

MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar **SAFE EN 1494**
max 2.2 t
064843

HEALTH CARE



Haute stabilité - High stability



Included
220 bar
053588

SAFE EN 1494


OPTIONS



Huile hydraulique - Hydraulic oil
1 l
053397



Outil de levage pour bas de caisse - Rocker panel lifting tool
- Auflage für Seitenschweller
053236




84 kg 1,27 m
0,89 m 0,76 m
0,27 m 1,20 m 0,77 m 93 kg



SPOT LIFT PRO

max Air 8 bar **SAFE EN 1494**
max 2.2 t
053557



0,55 m adjustable 1,2 - 1,68 m
0,18 m 1,2 m 0,8 m



SPOT LIFT PRO MOB

max Air 8 bar **SAFE EN 1494**
max 2.2 t
055896



0,55 m adjustable 1,2 - 1,68 m
0,18 m 1,78 m 0,8 m

60 cm (max)
14 cm (min)




OPTIONS

Réhausseur pour 4x4 et utilitaires - Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW




Patins - Pads for Audi & BMW (x 2) 053717

Rampes - Ramps 700 x 200 x 80 mm (x 2) 056787



OPTIONS

SPOT LIFT PRO MOB Réhausseur pour 4x4 et utilitaires - Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW



Patins - Pads for Audi & BMW (x 2) 061606


Rampes - Ramps 700 x 200 x 80 mm (x 2) 056787

AUTO ROLL
2.5 t max
360°
min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)



AUTO ROLL 1.0 m / 1.2 t 059047
28 cm 56 kg 117 cm 26 cm
AUTO ROLL 1.55 m / 1.2 t 063839
24.5 cm 62 kg 171 cm 16 cm
Included 059054
Option 059061

AFTER LIFT AUTO ROLL
1 2
360°
2.5 t max




067967
45 Kg
Included 60 mm 140 mm

TABOURETS DE MANUTENTION - Wheel trolleys - Radhocker



048768
26 cm max
kg 650 kg max

CHARIOTS DE MANUTENTION PRISE SOUS ROUE - Wheel trucks - Kfz-Montagelift, fahrbar



Chariots mécaniques (x 2) - Mechanic jacks (x2) 071995
680 kg max (2x) 16 kg
34-65
38-72 cm 30 cm 63 cm
Made in China



ERGO LIFT 650

220 V, 1~ **SAFE EN 1493**

max 2 t


056817



Youtube

220 V, 1 ph
0,75 kW

Included
Huile hydraulique -
Hydraulic oil 5l
062160



Pack ERGO LIFT 650 + 4 Wheel trolleys (x4)

068544




QUICK LIFT L520E



062184

220 V, 1 ph
0,75 kW

Included
Huile hydraulique -
Hydraulic oil 5l
062160



Youtube




SAFE EN 1493


2.5 t max

OPTIONS

x4 Patins à rainures
071933



Patins pour SUV -
Pads for SUV
x4
065017



Support mural -
Wall mount
071926



Made in China

EASY 360° - Déplacements sur 360°



Haute stabilité - High stability



ERGO LIFT 1000 ROLL

Air 7-8 bars

SAFE EN 1493

NEW 11 2022

SAFE EN 1493

max 2.5 t

076792

included:



Haute stabilité - High stability



Pack ERGO LIFT 1000 ROLL + wheels

076792



ERGO LIFT 1000 ROLL

067950




AIR JACKS



AIR JACK VAN 2T

058330


2T max



AIR JACK CAR 2T

058323

2T max





MANUAL WHEEL LIFT

Lève roue à treuil - Wheel lift trolley - Radmontage-Heber

061385

min: R13 / 135 / 65
max: R22 / 300 / 35
kg 40 kg max




SPOT WELDING

PORTASPOT 230

6 300 A 120 daN

Air cooled


230V
022256




DELIVERED WITH PX 1



ARMS Ø 23 mm



ELECTRODES




CAPS & ACCESSORIES



50/60 Hz	A	A	A	mm	V	m	mm ²	100% CU	(no arm) cm	kg
1 x 230V	16(D)	6 300	8 900	2+2	2,45	2,5	3x2,5 H05VVf	OK	36x29 x10	10

GYSPOT
32D-X

7 500 A 500 daN



Air cooled

2 x 400V
019881



INCLUDED

32D-X 019881

100R-X 019911

100R-C 019928

100R-CX 022317



32D-X 019881

100R-X 019911

100R-C 019928

100R-CX 022317

GYSPOT
100R-X

10 000 A 500 daN

For mild steel, HSS, UHSS



Air cooled

Traceability software
Save spot welding configuration and export data

3 x 400V
019911




OPTIONS



GYSPOT
100R-C

10 000 A 300 daN

For mild steel, HSS, UHSS



Air cooled

Traceability software
Save spot welding configuration and export data


3 x 400V
019928



GYSPOT
100R-CX

10 000 A 500 daN (X)
300 daN (C)

For mild steel, HSS, UHSS



Air cooled

Traceability software
Save spot welding configuration and export data

3 x 400V
022317



MADE IN FRANCE 62135	50/60 Hz	A	A	A	mm	U ₀	Cables		100% CU	kg			
							Air Cooled	mm ²					
GYSPOT 32D.X	400V	32 (13 kVA)	6	7 500	10 500	3 + 3	1,2 + 3	11	2,2	200	OK	55 x 75 x 190	78
									2,5	150			
GYSPOT 100R.X GYSPOT 100R.C GYSPOT 100R.CX	3 x 400V	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	10 000	—	2,5+2,5+2,5	1,5 + 3	16	2,5	200	OK	70 x 99 x 208	108
									2,5	150			
									8	4 x 6 H07RNF		95.5	

GYSPOT INVERTER AIR COOLED

GYSPOT BP-LX
13 000 A
550 daN

For mild steel, HSS, UHSS **Boron steel**

Double pressure
Ø 10 mm
6,5 kg (included X1)


Liquid cooled

BP BODYPROTECT
Unique electro-magnetic field protection
2013/35/UE by GYS

Traceability software
Save spot welding configuration and export data

019652

	019652	058804
400V		
Gyspot BP-LX	▪	▪
Monopoint/Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
X1 050501	▪	▪
X4A (x2) + X4B + X4C + X2 020733	▪	▪
Liquid cooling (10l) 052246		(x3)



OPTIONS

050068
x10 (x20: 052239)
x6 (x6: 049994)

x18 (x6: 049987)
x18 (x6: 049970)

NEW Caps type A box 048935
Caps type F box 077119

x40 (x6: 049987)
x40 (x6: 049970)



Included Support haute stabilité
-High stability support
Compatible gyro +

GYSPOT BP-LC-s7
13 000 A
550 daN

For mild steel, HSS, UHSS **Boron steel**

Double pressure
Ø 10 mm
6,5 kg (included C1)

Liquid cooled

BP BODYPROTECT
Unique electro-magnetic field protection by GYS

EDC Automatic C clamp
Energy Dynamic Control

Traceability software
Save spot welding configuration and export data

020757

	020757	058798
400V		
Gyspot BP-LC-s7	▪	▪
Monopoint/Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
Contact grease 050440	▪	▪
Caps remover 050846	▪	▪
Arm panel	▪	▪
C1 019140	▪	▪
C2 + C3 + C4 019126	▪	▪
C6 022409	▪	▪
Liquid cooling (10l) 052246		(x3)



Mandrins pour pistolets - Mandrels for gun - Pistole & Anschlußstücke, Zubehör

OPTIONS BP-LC

S1 < nov 2010 048171

S2 > nov 2010 048188

GYRO 360° for BP-LC 051737

10-14 kg

GYSPOT PTI-s7
14 500 A
550 daN

For mild steel, HSS, UHSS **Boron steel**

FUSE 20 A
Double pressure
Ø 10 mm
9,9 kg (included C1)

TRANSFORMER INSIDE


Liquid cooled

EDC Automatic C clamp
Energy Dynamic Control

Traceability software
Save spot welding configuration and export data

020894

	4M 020894	4M 067998
	6M 022195	6M 020900
220V		400V
Gyspot PTI-s7	▪	▪
Contact grease 050440	▪	▪
Caps remover 050846	▪	▪
Arm panel	▪	▪
C1 021402	▪	▪
C2 + C3 + C4 060821	▪	▪
C6 022409	▪	▪
Gyro 360° 051720	▪	▪
Complete gun kit 067318	▪	▪
Liquid cooling (10l) 052246		(x3)



Very light
9,9 kg

NEW
CONVERT PTI S-7 > PTI PREMIUM PRO WITH G ARMS

KIT RENOV PTI PREMIUM PRO
220V 072367

400V 072541

C ARMS → G ARMS

OPTION

supports

NEW
200 mm² 1.6 m
300 mm² 1m

Complete gun kit 067318

GYRO 360° for PTI 051720

MADE IN FRANCE 62135	50/60 Hz	A D curve	Spots/min (max) ± 2.5+2.5	I RMS A	U _o V	mm			Cables			100% CU	cm	kg
						↕	↔	↔	↔	↔	↔			
GYSPOT BPLX	3 x 400V	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	13 000	16	2.5+2.5+2.5	1.5+3	2.5, liquid	2.5	8 m, 4x6 HD7RNF	OK	65 x 80 x 205	150	
GYSPOT BPLC-s7														
GYSPOT PTI-s7	3 x 400V	20 (14 kVA)	10	14 500	7.3	2.5+2.5+2.5	1.5+3	4 m, liquid 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm ²	8 m, 4x4 HD7RNF	OK	65 x 80 x 230	92	
GYSPOT PTI-s7 220 V														
	3 x	200 208 220 240	10	12 500 13 000 14 500 14 500	6.5 6.7 7.4 7.7			4 m, liquid 6 m, liquid		8 m, 4xAWG8 (SOOW)	OK		98.5	

FOR GYSPOT 32D-X, 100R-X, BP-LX

550 daN


6,5 kg including X1

- DOUBLE PRESSURE
- LIQUID COOLED REFRROIDISSEMENT LIQUIDE
- Ø 10 mm




MADE IN FRANCE

X ARMS Ø 25 mm




X Arms - Caps Ø13 mm




X1 8 bar/550 daN

050501




X2 8 bar/400 daN

050518




X4 8 bar/120 daN

050532




X5 8 bar/200 daN

050549




X4A 8 bar/150 daN

020702




X4B 8 bar/150 daN

020719



X4C 8 bar/150 daN

020726



X6 8 bar/400 daN

050587


X4 (A, B & C) combinations



X4A + X4A



X4A + X4B



X4B + X4B




X4A + X4C



X4C + X4C



X4B + X4C



X11 3 bar/150 daN

051607

X ARMS PANELS

X4A (x2) + X5 + X2

022324

X4A (x2) + X4B + X4C + X2

020733




X arms support 021471



X arms support 021471

Remote control (BP)



Digital screen control Change Mode & Parameters

X clamp control



C clamp control



C ARMS PANELS



C2 + C3 + C4

060821

ALL IN 1 BOX



C2 + C3 + C6 + C12 + C9

=

061316

2 BOXES



C10 + C3 + C5 + C6 + C9

=

076495

NEW

FOR GYSPOT BP-LC, PTI

550 daN

6,5 kg including C1

- DOUBLE PRESSURE
- LIQUID COOLED REFRROIDISSEMENT LIQUIDE
- Ø 10 mm



MADE IN FRANCE



Youtube



550 daN

Transformer inside

9,9 kg including C1

- DOUBLE PRESSURE
- AIR COOLED + LIQUID COOLED
- DOUBLE REFRROIDISSEMENT AIR + LIQUIDE
- Ø 10 mm

C Arms - Caps Ø13 mm

Classic arms



CLASSIC FINISH

Bras isolés - Isolated arms - Isolierte Bügel



ELECTRICAL INSULATION




C2 8 bar/550 daN

022386




C6 8 bar/300 daN

022409




C12 8 bar/550 daN

022997




C8 8 bar/550 daN

021440




C10 4 bar/150 daN

051638




C5 8 bar/550 daN

022393




C1 8 bar/550 daN

021402




C3 8 bar/550 daN

021419




C11 8 bar/550 daN

053649



C4 8 bar/550 daN

021426



C7 8 bar/550 daN


021433

Option for C7



C7-SA (Small Access)


067684



C9 8 bar/550 daN


020078

Option for C9 & C14



C9/C14-SA (Small Access)

067660



C14 8 bar/400 daN

023543

▲ 5,7 kg 22% saved

SPOT WELDING

GENIUS

G
ARMS
p.60



MADE IN FRANCE

ULTRA LIGHT & COMPACT

6.5 kg
(Gyro & G1 included)


550 daN



6.5 kg
(Gyro & G1 included)




FAST OPEN XL



EASY



GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



BP GENIUS

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

BP BODYPROTECT
Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data



023451



	023550	023451	023499
Gyspot BP GENIUS	220V	400V	
Monopoint/Spot 049291	▪	▪	▪
Spotter box pro (p.10) 050075	▪	▪	▪
Inertia hammer 049482 + 049802	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm support	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022896	▪	▪	▪
Liquid cooling (10l) 052246			(x3)



OPTIONS

<p>Caps type A box 048935 x40 (x6: 049987)</p> <p>Caps type F box 077119 x40 (x6: 049970)</p> <p>NEW</p>	<p>x20 (x6: 049987)</p> <p>x6 (x6: 049970)</p> <p>x2 (x1: 050617)</p> <p>073449</p>	<p>SD CARD 050914</p> <p>Liquide de refroidissement Cooling liquid Kühlmittel Enfriamento líquido Refrigeración líquida</p> <p>052246</p>	<p>Housse de protection - Protection cover - Schutzhaube</p> <p>for BP & PTI</p> <p>050853</p>	<p>10-14 kg</p> <p>059696</p>
---	---	---	--	-------------------------------

MADE IN FRANCE 62135	50/60 Hz	A D curve	Spots/min (max) 2.5+2.5	I _{RMS} A	U _o V	mm			Cables			100% CU	cm	kg													
						⚡	⚡	⚡	⚡	⚡	⚡																
GYSPOT BP GENIUS 220 V	3 x	200 208 220 240	2 6 10	10 500 11 000 12 000 12 500	15 15.5 17 18	2.5+2.5+2.5	1.5 + 3	2,5 m, Ø 200 mm ² , Liquid	2,5 m, Ø 150 mm ² air	8 m 4x16 mm ² (6AWG) 500W	OK	65 x 80 x 205	160														
														GYSPOT BP GENIUS 400V	3 x 400V	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	13 000	16	2.5+2.5+2.5	1.5 + 3	2,5 m, Ø 200 mm ² , Liquid	2,5 m, Ø 150 mm ² air	8 m 4x6 mm ² H07RNF	OK	65 x 80 x 205	160

SPOT WELDING

G
ARMS
p.60

NEW



MADE IN FRANCE

**FULL
ERGONOMIC**

10.3 kg
(Gyro & G1 included)

550 daN

LIQUID COOLED
REFROIDISSEMENT
LIQUIDE
Ø 10 mm


10.3 kg
(Gyro & G1 included)

TRANSFORMER INSIDE

GYRO INCLUDED




PERFECT ELECTRICAL CONNECTION



AUTO



XL Balancer



Ergonomy & Security

20°
**EASY
HANDLE**

**LOCKING
SYSTEM**



OPTIONS

	Caps type A box 048935	x40 (x6: 049987)		Caps type F box 077119	x40 (x6: 049970)
	Caps type B box 073449	x20 (x6: 049987)		Caps type C box 073449	x6 (x6: 049970)
	Caps type D box 073449	x6 (x6: 049970)		Caps type E box 073449	x2 (x1: 050617)

	SD CARD 050914	2 GB	Liquide de refroidissement - Cooling liquid - Kühlmittel - Enfriamiento líquido - Refrigeração líquida	052246
--	-------------------	------	---	--------

**GYSPOT
PTI PREMIUM PRO**

**14500 A
550 daN**

For mild steel, HSS, UHSS

	<ul style="list-style-type: none"> FUSE 20 A Double pressure ± Ø 10 mm 10,3 kg (included G1)
--	--


TRANSFORMER INSIDE

Liquid cooled

EDC Automatic G clamp
Energy Dynamic Control

Traceability software
Save spot welding configuration
and export data

	6M	072206 072183
	220V 400V	
	Caps remover 050846	
	Arm panel	
	G1 022768	




NEW



10.3 kg


OPTIONS

G11
for PTI PREMIUM
PRO only




MADE IN FRANCE	50/60 Hz	A	Spots/min (max)	RMS	Uo	mm	Cables		100% CU	cm	kg		
							mm	mm					
GYSPOT PTI PREMIUM PRO 220V	3 x 200 208 220 240	30 (10-12 kVA) 40 (14-16 kVA) 50 (17-21 kVA)	10	12500 13000 14500 14500	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1.5+3	6 m, liquid	OPTION 067226; 1.8 m, Ø 300 mm²	8 m, 4x4 H07RNF	OK	65 x 100 x 230	92
GYSPOT PTI PREMIUM PRO 400V	3 x 400V	25 (14 kVA)	10	14500	7.3	2.5+2.5+2.5	1.5+3	6 m, liquid	OPTION 067226; 1.8 m, Ø 300 mm²	8 m, 4x4 H07RNF	OK	65 x 100 x 230	92

GYSPOT PTI PREMIUM PRO
LIQUID COOLED




MADE IN FRANCE



550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE
Ø 10 mm



11.3 kg
(Gyro & G1 included)



TRANSFORMER INSIDE

Potence électrique -
Motorised cable support
- Elektrisch verstellbarer
Kabelsupport

NEW DESIGN

Avec contrôle de
commande - with
control command



DOWN
159 cm



UP
253 cm




UPSIDE DOWN
POSITION

G ARMS
p.60



GYSPOT PTI GENIUS
14 500 A
550 daN
For mild steel, HSS, UHSS **Boron steel**
TRANSFORMER INSIDE
Traceability software
Save spot welding configuration
and export data

	024854	024878	068001	024892
Gyspot PTI-GENIUS	220V	400V	480V	
Caps remover 050846	■	■	■	■
Arm support	■	■	■	■
G1 022768	■	■	■	■
G2 + G3 + G4 022898	■	■	■	■
Kit gun 067226	■	■	■	■
Liquid cooling (10l) 052246			(x3)	



Ergonomic

120 cm

Included
Cable support
**ULTRA
RESISTANT**



**ELECTRIC
MOTOR**



Control
Commande

Boîte de
rangement pour
électrodes -
Electrode storage
box

6 m

Grande stabilité
- High stability

OPTIONS



OPTIONS




MADE IN FRANCE 62135	50/60 Hz	A D curve	Spots/min (max) 2.5+2.5	I RMS A	Uo V	mm		Cables		cm	kg
						↕	↔	↕	↔		
GYSPOT PTI GENIUS 220 V	3 x 208-240	50 (17-21 kVA)	20	12 500 13 000 14 500 14 500	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1,5+3	6 m, Liquid	8 m 4xAWG8 (500W)	71 x 90 x 200	100
GYSPOT PTI GENIUS 400V	3 x 400 V	25 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5+3	6 m, Liquid	8 m 4x4 mm ² H07RN6	71 x 90 x 200	100
GYSPOT PTI GENIUS 480V	3 x 480 V	20 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5+3	6 m, Liquid	8 m 4xAWG12 (500W)	71 x 90 x 200	100


FOR GYSPOT BP GENIUS, PTI PREMIUM PRO & PTI GENIUS

G Arms - Caps Ø13 mm


Bras isolés - Isolated arms - Isolierte Bügel




G2
8 bar/300 daN
022775



G6
8 bar/550 daN
022812



G7
4 bar/150 daN
022829




G11
for PTI PREMIUM PRO only
071766

Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp 067295





Protections for G clamp & arms 067288



G4
8 bar/550 daN
022799

Option for G4



G4-SA (Small Access)
064478



G5
8 bar/550 daN
022805

Option for G5



G5/G10-SA (Small Access)
067660



G8
8 bar/550 daN
022836


Option for G8

G8-SA (Small Access)
067677




G1
8 bar/550 daN
022768

Option for G1 & G3



G3
8 bar/550 daN
022782



G1/G3-SA (Small Access)
067653



G10
8 bar/400 daN
067165

Option for G10 & G12


G5/G10-SA (Small Access)
067660



G12
8 bar/300 daN
075238

Option for G12

G5/G10-SA (Small Access)
067660



Option SD card 050914



Option PCB 97449C




90284 + 55121



G > X
UNIQUE SYSTEM
BREVETÉ PATENTÉ
AUTOMATIC WELDING FOR X1, X2 & X6
Youtube

G9 | 8 bar/550 daN
not for PTI PREMIUM PRO

G9 with X1 Included
022881





Option for G9

X2
050518



G9 with X6 Included
072275



G ARMS PANELS

G2
+ **G3**
+ **G4**
022898

G2
+ **G3**
+ **G5**
063297


KIT SMALL ACCESS GENIUS 077072 **NEW**

for PTI GENIUS & PTI PREMIUM PRO

G1/G3-SA (Small Access)




G5/G10/C9/C14-SA (Small Access)



G4-SA (Small Access)



G8-SA (Small Access)



CONSOUMMABLES X/C/G - X/C/G Consumables

Type A Cor X clamp Ø 13 mm (x6) 049987

Type B Cor X clamp Ø 13 mm / Ø 5 mm (x6) 055506

Type D Cor X clamp Ø 13 mm (x10) 058507

TYPE F For single sided gun Ø 13 mm (x6) 049970

TYPE G Ø 13 mm (x10) 059672

Caps inclinés - Beveled X2, X4, C11 arms Ø 13 mm (x6) 049994



Caps type A box 048935 (x40: 049987)

Caps type F box 077119 (x40: 049970)

073449

x20 (x6: 049987)

x6 (x6: 049970)

x2 (x1: 050617)



Graisse contact Contact grease 050440

Caps remover 050846

Europax anti-corrosion 052758

Monopoint / Spot 049291

050068

x10 (x20: 052239)

x6 (x6: 049994)

x18 (x6: 049987)

x18 (x6: 049970)

AFFUTEUR DE CAPS PNEUMATIQUE - Pneumatic cap grinder



061484

Reversible

Lame - Blade 061491

AFFUTEUR DE CAPS - Cap grinder

Lame - Blade 052857

048966

Optimal speed: 400-800 rpm



Youtube



BANC DE TRACTION ARRACHE TÔLE - Steel sheet traction bench - Blech-Zugbank zur Festigkeitsprüfung



052420



052321 (included)

VALISE TEST SOUDURE HLE / THLE - Weld test kit - Schweißtestkit im Hartschalenkoffer



050433

Barre d'arrachage / Traction bar + Acier doux / Mild steel 0.65 (x25) + 1.0 (x25) + Acier HSLA 360 - HLE 0.8 (x25) + 1.5 (x25) + Acier DP600 - THLE/UHLE 1.0 (x25) + Acier FB560 - THLE/UHLE 2.5 (x25)

PROTECTION ANTI-ARC 12 V - Anti-arc protection 12V - Lichtbogenschutz 12V - Protección anti-arco 12V



041318

GYRO 360°

for BPLC/BPLCX 051737



10-14 kg

for PTI 051720



ÉCHANTILLONS DE TÔLES - Sheets set

Acier standard / Standard steel 0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25) + Alu 1 (x45) + 1.5 (x30) + 2 (x20)

055841



CAPTEUR D'EFFORT - Electrode force sensor



052314

KIT DE PURGE RÉSERVOIR - Tank draining kit - Kit zur Tankentleerung



058286

CARTE MÉMOIRE SD - SD memory card




SD CARD 050914

KIT WIFI



for Gyspot Inverter PTI GENIUS 070691

HOUSSE DE PROTECTION - Protection cover - Schutzhaube



for BP & PTI 050853

LIQUIDE DE REFRIGÉRISSSEMENT - Cooling liquid - Kühlmittel - Enfriamento líquido - Refrigeração líquida




052246



RIVETING

PNEUMATIC HYDRAULIC



BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL




	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYPRESS 8T	✓	✓	—
GYPRESS 10T	✓	✓	✓
GYPRESS 8T PUSH PULL	✓	✓	✓
GYPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYPRESS 10T PUSH PULL	✓	✓	✓
GYPRESS 10T CONNECT	✓	✓	✓



KIT HR210 + HR310 8T PP/10T/10T PP 064089

included XT31-78 (78 mm) 058637

XT31-40 Rallonges bras HR310 pour point milieu - HR310 arm extension for middle point



Compatible 8T PP/10T/10T PP x2

066335

OPTIONS



Support Riveteuse pour changements d'accessoires (bras & matrice)
- Riveting machine support for changing accessories (arms & dies)
- Supportständer
↳ 28 x 40 x 21,5 cm

054158



Chariot-Trolley
↳ 79 x 81 x 51 cm
↳ 80 x 15 x 123 cm
44 kg

054233



Chariot + Support Trolley + Support
↳ 51 x 122 x 74 cm

055391




Capteur d'effort 062115

Hydraulic body wrenches (x2) 067325



Serre-tôles - Temporary-fasteners manual mounting



GYPRESS 10T

6.5 bar | 100 kN

10t

063303



US version 070653



Pressure gauge Psi > Kn



Levier de décharge - Discharge lever - Auslösehebel



Contrôle de la vitesse - Speed control - Regelung Werkzeuggeschwindigkeit



Contrôle de la pression - Pressure control - Druckregelung



GYPRESS 10T COMPLETE PACKS



	HR110 063310	XT11.21 - Extension for HR110 & HR210 058644	Standard 10T tool box 053694	6 x 50 rivets RAP - Nieten SPR 048706	HR210 + HR310 064089	50kN adapter 064867	Pulling adapter kit 066076	Trolley+support 055391
GYPRESS 10T 063303 070653	✓							
GYPRESS 10T pack 1 066441			✓					
GYPRESS 10T pack 2 066458				✓				
GYPRESS 10T pack 3 064744								✓

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	↕	⚖	↕	⚖
				cm	kg	cm	kg
GYPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+	39.5 x 180	6.2 (HR110 included)	58 x 48 x 15	11.8

GYPRESS 10T PUSH PULL

6.5 bar 100 kN
10t

063853



Sélection Push/Pull - Push/Pull selection



Contrôle de la pression - Pressure control - Druckregelung



Contrôle de la vitesse - Speed control - Regelung Werkzeuggeschwindigkeit

HYDRAULIC SYSTEM
fermé - closed - geschlossen
UNIQUE 100%
No air inclusion
maintenance free, no oil refill

GYPRESS 10T PUSH PULL COMPLETE PACKS


Strap-Sangle-Gurt	HR arm locker	Poignée-Handle-Griff						
GYPRESS 10T PUSH PULL 063853	✓							
GYPRESS 10T PP pack 1 066465		✓						
GYPRESS 10T PP pack 2 066472			✓					
GYPRESS 10T PP pack 3 065789				✓				✓

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL				
				cm	kg	cm	kg
MADE IN FRANCE	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar		39.5 x 180	6.7 (HR110 included)	58 x 48 x 15	12.5
GYPRESS 10T PUSH PULL							

GYPRESS PREMIUM 10T PUSH PULL

6.5 bar 100 kN
10t

077065




MORE ACCESS

MORE ACCESS



HYDRAULIC SYSTEM
fermé - closed - geschlossen
UNIQUE 100%
No air inclusion
maintenance free, no oil refill



Sélection Push/Pull - Push/Pull selection



Sélection Manuel/Automatique - Manual/Automatic selection



Contrôle de la pression - Pressure control - Druckregelung



Contrôle de la vitesse - Speed control - Regelung Werkzeuggeschwindigkeit

GYPRESS 10T PREMIUM PUSH PULL COMPLETE PACK

GYPRESS PREMIUM 10T PUSH PULL 077065							

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL				
				cm	kg	cm	kg
MADE IN FRANCE	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar		39.5 x 180	6.7 (HR110 included)	58 x 48 x 15	?
GYPRESS 10T PREMIUM PUSH PULL							



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE

100%

No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

10 languages

- FR ES CN
- GB CZ JP
- DE NL
- IT RU

★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


- ✓ VW GROUP
- ✓ MERCEDES-BENZ
- ✓ BMW
- ✓ TESLA
- ✓ FERRARI
- ✓ FORD
- ✓ JAGUAR / LAND ROVER
- ✓ GM

CONNECTIVITY




TRACEABILITY

History data export




SOFTWARE UPDATE

Gyspress evolutions



UNIQUE
**PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection

Gyspress support




Arms support



REGULATED
PRESSURE
CONTROL

POWER
10t



Levier de décharge
- Discharge lever
- Auslösehebel

WORKSTATION GYPRESS 10T PP CONTROL

6.5 bar 100 kN

10t

063860

included

- HR110 063310
- XT11.21 - Extension for HR110 & HR210 058644
- Standard 10T PushPull tool box 058361
- 6 x 50 rivets RAP - Nieten SPR 048706
- Strap-Sangle-Gurt
- HR arm locker
- Poignée-Handle-Griff

OPTIONS

Capteur d'effort
10T PP CONTROL
071759



Youtube

Hydraulic body wrenches
for GYPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x2)
067325

MADE IN FRANCE WORKSTATION GYPRESS 10T PP CONTROL	230V	AIR BAR 6.5 bar = 10 t (maxi 10 bar)	PRESSURE CONTROL 0 > 6.5 bar	SPEED CONTROL + -	cm	kg
					74 x 116 x 50	54


GYPRESS CONTROL

SYNERGIC RIVETING





ADAPTATEURS POUR RIVETS AVEUGLES - BLIND RIVET ADAPTERS



Compatibility
 GYSPRESS 10T
 GYSPRESS 10T PUSH PULL
 GYSPRESS 10T PUSH PULL PREMIUM
 GYSPRESS 10T CONNECT



ADAPTATEUR 24 KN POUR RIVETS AVEUGLES - Blind rivet adapter 24 kN - Blindnietadapter 24 kN

HIGH ACCESSIBILITY



SPECIFIC STORAGE



24 kN STANDARD 600 mm
063822

Pour rivets POP - For BLIND rivets - Für Blindniet
 Acier / Steel: Ø 4.0 → 6.4
 Alu: Ø 4.0 → 7.8



INCLUDED

- 058446 (included)
- for standard rivets:
 - Ø 3.2 x1 059221
 - Ø 3.6 x1 059238
 - Ø 4.0 x1 059245
 - Ø 4.5 x1 059252

24 kN COMPACT 600 mm
077164

Pour rivets POP - For BLIND rivets - Für Blindniet
 Acier / Steel: Ø 6.4
 Alu: Ø 6.4 → 7.8

COMPACT HEAD



NEW 11 2022



INCLUDED

- 058446 (included)
- for standard rivets:
 - Ø 4.5 x1 059252
 - Ø 5.2 x1 059252

PERFECT COMBO WITH ARC PULL

SPÉCIAL ARRACHAGE DE RIVETS
 Special tearing rivets - Spezial-Zugnieten



OPTION FOR GYSPOT ARC PULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN 064584					
Tige inox - Stainless steel nail Ø 4 x 50 mm 064607	Canon pour pose de tige inox - Barrel for stainless steel nail welding	Support porte-goujon - Mandrel support 059634	Buse + patin - Nozzle + pad 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
x100	x1	x1	x1	x1	x1

ADAPTATEUR 50 KN POUR RIVETS AVEUGLES - Blind rivet adapter 50 kN - Blindnietadapter 50 kN



Réglage de la course de traction - Stroke adjustment
 0 → 25 mm

50 kN 1 m
064867
 ▲ 4.0 kg

Pour rivets POP - For BLIND rivets - Für Blindniet

Acier / Steel: Ø 4.0 → 6.4
 Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



+ Complete kit 065987



OPTIONS

Acier / Steel: Ø 4.0 → 6.4
 Alu: Ø 4.0 → 7.8

Extension 160 mm - 160 mm extension - Verlängerung 160 mm
 066144



Ø 8.0 → 9.8

Kit Rivets Ø8.0/9.8mm - Ø8.0/9.8mm nozzle-piece kit - Mundstückkit 8,0/9,8 mm
 066045



M5 → M14
 M5 → M8

Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blind rivet nut pulling, Blind rivet bolt adapter kit - Blindnietmuttern, Blindnietgewindebolzen-Kit
 066076



OPTION FOR GYSPOT ARC PULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX2 350 - 50kN 073388				
Ø 5 x 50 mm 070745	Canon long + mandrin M5 - Long barrel + mandrel M5 070738	Support porte-goujon - Mandrel support 059634	Buse + pad 059641	Buse d'extraction 50kN Ø 5 066151
x100	x1	x1	x1	x1

for GYSPOT ARCPULL 700

ARC PULL RIVET BOX 700 068452										
Ø 5 x 50 mm 070745	Canon long + mandrin M5 - Long barrel + mandrel M5 070738	Buse d'extraction 50kN Ø 5 066151	Support porte-goujon - Mandrel support 071377	Buse + pad 059641	Ring holder 059610	Fourche pour anneau - Rod for pulling rings 071384	Vis de butée	Ø 5 x 50 mm 066175	Ø 5 x 50 mm 066182	Ø 5 x 50 mm 066199
x100	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1

BOÎTE CONSOMMABLES POUR ADAPTATEUR 50KN - Consumables box for 50kN adapter - Zubehörbox für 50 kN Adapter

066168



Écrous à sertir - Blind rivet nuts

	M5	M6	M8	M10	M12	M14
mm	22.5 → 27	24 → 28.5	23.5 → 28	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229

Goujons à sertir - Blind rivet bolts

	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250

Rivets aveugles - Blind rivets

	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274

+ plaque de démonstration - demo metal sheet

+ x10 x10 x10 x10 x10 x5

+ x10 x10 x10

+ x10 x10

Pose de rivets auto-perçants
- Application of self-percing rivets - Stanzniet-Verpressen

Pose de rivets pleins
- Application of solid rivets - Vollniet-Verpressen

Pose de rivets Flow-Form
- Application of Flow-form rivets - Setzen v. Fließformnieten

Extraction de rivets
- Extraction of rivets - Niet-Auspressen

Perçage et formage des tôles pour rivets pleins
- Metal sheet punching and shaping - Vollniet-Lochstanzen/Prägen

BOÎTES MATRICES - Dies boxes - Matrzensätze

STANDARD

STANDARD 8T/10T
for 8T 10T
053694
Included XT11-21 058644

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2			
Self-percing rivets				Flow-form rivets			Extraction		Punching				
Ø 3.2, 3.5	Ø 3.3	Ø 5, 5.3	Ø 5.3	Ø 6 - A1/2/3, 50/1/2/3/4/5/6			Ø 3.3, 4.8	Ø 3.9, 5.3	Ø 6				

STANDARD 8T/10T PUSH PULL
for 8T PP 10T PP 10T CONTROL
058361
Included XT31-60 - 60 mm extension for HR310 (use with ST1, T5, T7) 057135
+ XT11-21 058644

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7		
Self-percing rivets				Flow-form rivets			Extraction		Punching				
Ø 3.2, 3.5	Ø 3.3	Ø 5, 5.3	Ø 5.3	Ø 6 - A1/2/3, 50/1/2/3/4/5/6			Ø 3.3, 4.8	Ø 3.9, 5.3	Ø 6				

BREVET GYS GYS PATENT

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

Low pressure
Ø 6.4 mm
KIT RMB PP05 for 10T PP 10T CONTROL
Idéal aluminium, aciers doux - Ideal for aluminum, mild steel 066366

HIGH pressure
Ø 6.4 mm
KIT RMB 08 PREMIUM for 10T 10T PP 10T CONTROL
Idéal aciers durs, Boron - Ideal for UHSS, Boron 066403

Flow-Form Ø 6 mm
KIT RMB 14 PREMIUM for 10T 10T PP 10T CONTROL
Idéal aciers durs, Boron - Ideal for UHSS, Boron 071186

Flow-Form Ø 8 mm
KIT RMB 15 PREMIUM for 10T 10T PP 10T CONTROL
Idéal aciers durs, Boron - Ideal for UHSS, Boron 071193

GM

RMB 11 for 10T
071087

RMB PP04 for 10T PP 10T CONTROL
071063

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4
F1	F2	F6	E9	E11	T1	T2				T7	T17	T18	T19	D18	D17
Flow-form rivets				Extraction		Punching									
Ø 6				Ø 6.8		Ø 6									

FERRARI

RMB 06 for 8T 10T 8T PP 10T PP 10T CONTROL
059009

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x2	x4
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13		
Self-percing rivets						Extraction		Punching			
Ø 3.9	Ø 4.75	Ø 3.9	Ø 4.75	Ø 3.3, 4.8	Ø 3.9, 5.3	Ø 4.75					

VW GROUP

RMB 03 for 8T 10T 8T PP 10T PP 10T CONTROL
054257

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4											
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16				
Self-percing rivets				Solid rivets		Extraction										Punching												
Ø 3.2, 3.5	Ø 5, 5.3	Ø 3.9	Ø 4.75	Ø 4		Ø 6		Ø 3.2										Ø 3.9, 5.3	Ø 3.2	Ø 5.3	Ø 8	Ø 4.8	Ø 4+8	Ø 4	Ø 8	Ø 6		

NIO

RMB PP08 for 10T 10T PP 10T CONTROL
072404

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x1	x2	x4
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18
Self-percing rivets		Flow-form rivets			Extraction				Punching							
Ø 5.3		Ø 5.3		Ø 6			Ø 5.3				Ø 6					

MERCEDES-BENZ

RMB 07 for 10T
064454

Included XT31-60 - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5				E9	E10	E11	T1	T2	T3	T4			
Flow-form rivets								Extraction				Punching					
Ø 6 - A1/2/3, 50/1/2/3/4/5/6								S28/38/48/58/68				S08/18					
Ø 5.3, 8								Ø 6				Ø 6.8					

RMB PP01 for 8T PP 10T PP 10T CONTROL
058378

Included XT31-60 - 60 mm extension for HR3

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5				E9	E10	E11	ST1	ST2	T5	T7	T8	T10	
Flow-form rivets								Extraction				Punching					
Ø 6 - A1/2/3, 50/1/2/3/4/5/6								S28/38/48/58/68				S08/18					
Ø 6.8								Ø 8				Ø 6					

FORD

RMB PP02 for 10T 8T PP 10T PP 10T CONTROL
058835

Included XT31-60 - 60 mm extension for HR3 (use with E7, E8, E12) 057135

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	G1	G2	G3	G4	G5	G6	E7						E12		
Self-percing rivets												Extraction			joints
Ø 5.3												Ø 5.3			

JAGUAR / LAND ROVER

RMB 02 for 8T 10T 8T PP 10T PP 10T CONTROL
054271

x1	x1	x1	x1	x2	x1	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6		
Self-percing rivets				Extraction		joints		
Ø 5.3				Ø 3.3, 4.8		Ø 3.3, 4.8		

BMW

RMB 01 for 8T 10T 8T PP 10T PP 10T CONTROL
054240

x1	x1	x1	x1	x1	x1	x2	x4	
A1	A2	B1	B2	E1	E2			
Self-percing rivets						Extraction		joints
Ø 3.2, 3.5		Ø 3.3		Ø 5, 5.3		Ø 5.3		

RMB 12 for 10T
071094

RMB PP07 for 10T PP 10T CONTROL
071070

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4	
B1	B3	I1	I2	I3	F1	F2	F6	E3	E13		T1	T2		ST1	T5	T7	T17	T18	T19	D18	D17
Self-percing rivets						Flow-form rivets			Extraction		Punching										
Ø 5.3						Ø 6			Ø 3.3, 4.8		Ø 9										

PORSCHE

RMB 10 for 10T
069299

RMB PP06 for 10T PP 10T CONTROL
069305

Included XT31-60 - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x2	x4
B3	F2	E9	E11			T1	T2			T5	ST1	T7			T17	T18	T19	D17	
Flow-form rivets		Extraction		Punching															
Ø 6		Ø 6.8		Ø 6															

TESLA

RMB 09 for 8T 10T 8T PP 10T PP 10T CONTROL
059931


RMB 13 for 10T
071100

RMB PP03 for 8T PP 10T PP 10T CONTROL
059092

Included XT31-60 - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	H1	H2	H3	H4	H5	H6	H7	H8												T3	T4
Self-percing rivets										Punching											
Ø 5.3										Ø 5.3											

GMAW MIG/MAG SYNERGIC




CARMIG
15 → 200 A
400V • 3~
032132
with accessories



M1 GYS AUTO
15 → 160 A Capacitor
230V • 1~
032903
208/240V • 1~
032088
with accessories

Capacitor
M1GYS AUTO, M3GYS AUTO
> PERFECT WELD



T1 GYS AUTO
15 → 200 A
400V • 3~
032910
T1 GYS AUTO DV
400V • 3~ / 230V • 3~
032927
with accessories



SYNERGIC - EASY TO USE
Réglage automatique de la vitesse | Auto adaptative wire speed
Automatische Einstellung der Drahtgeschwindigkeit

M3 GYS AUTO
15 → 160 A Capacitor
230V • 1~
032880


T3 GYS AUTO
15 → 200 A
400V • 3~
032958

T3 GYS AUTO DV
400V • 3~ / 230V • 3~
032972

with accessories:
Steel 150 A, 3 m, air
Ø 0,8 063754
Steel 150 A, 3 m, air
Ø 1,0 072121

For T3 GYS AUTO only
with accessories:
032941


câble secteur - mains cable
6m



2 x 4 m³
(20L)


2 x 4-in-1

100% READY



Protection gas
Argon+CO₂ (Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO₂PUR (Steel)

INVERTER SYNERGIC



MULTEPEARL AUTO
200 A
Ø 200/300
P400 PFC FV SR GAS NO GAS MMA TIG
075412
3 m, 2.5 m, 16 mm², 2 m, 16 mm²



SPECIFIC SYNERGIES FOR CAR BODY

Torche motorisée Spool Gun - Spool Gun Torch - Spool Gun Brenner



041486
Ø 100
Ideal for
- Acier / Steel / Stahl
- Inox / Stainless steel
- Alu

included
045699

SPOOL GUN + Support for M3 & T3 GYS AUTO
038554



15L / min (FR) 041998
OPTIMAPRO 30L / min (FR) 043619
30L / min (FR) 041622
(UK) 040274 (UK) 041646
(NL) 040267 (DE) 041219
(IT) 038691 (NL) 041615
(IT) 038707

MB 15 (150A)
041226
x3
x5
x5 (M6-Ø0,6)
x5 (M6-Ø0,8)
x3



041332

T3GYS & M3GYS:
Housse de protection - Protection cover - Schutzhaube

052260

MADE IN FRANCE	MADE IN CHINA	CE NORM. 60974/1	50/60 Hz	A	min → max	Reg	100 (spoolgun) 200 300	Electronic Control	EN60974-1 (40°C)			cm/kg	Protected & compatible power generator (+/-15%)			
									IA (60%)	X% (I2 max)	Ø mm					
			400V 3~	10	15 → 200	7		electronic	110	150A@25%	0,6+1	0,6/0,8	0,8	47x77x79 / 50	5 kVA	
			230V 1~ 208/240V 1~	16	15 → 160	6	option		90	140A@15%	0,6+1	0,6/0,8	0,8	47x77x79 / 46	4,5 kVA	
			400V 3~	10	15 → 200	7	option		110	150A@25%	0,6+1	0,6/0,8	0,8	47x77x79 / 52	5,2 kVA	
			230V 3~/400V 3~	10	15 → 200	7			110	150A@25%	0,6+1	0,6/0,8	0,8	47x77x79 / 52	5,2 kVA	
			230V 1~	16	15 → 160	6			90	140A@15%	0,6+1	0,6/0,8	0,8/1,0	2 x 0,8	60x90x90 / 58	4,5 kVA
			400V 3~	10	15 → 200	7			110	150A@25%	0,6+1	0,6/0,8	0,8/1,0	2 x 0,8	60x90x90 / 75	5,2 kVA
			230V 3~/400V 3~	10	15 → 200	7			110	150A@25%	0,6+1	0,6/0,8	0,8/1,0	2 x 0,8	60x90x90 / 75	5,2 kVA
			110V 1~	32	20 → 150	-			100	150 A @22%	0,6+1	0,8/1,0	0,8	41x73x77 / 37	7,5 kW	
			230V 1~	16	20 → 200	-			130	200 A @22%	0,6+1	0,8/1,0	0,8	41x73x77 / 37	7,5 kW	



GYS AUTO

GMAW MIG/MAG INVERTER SYNERGIC

Lastest generation
colour screen 3.5"

NEW

10 languages

- French
- English
- German
- Italian
- Spanish
- Czech
- Dutch
- Russian
- Chinese
- Japanese

EASY



EXPERT

Pre-gas / Creep speed / Hotstart /
Crater filler / Burnback / Post-gas



EASY TO SETUP



MODES

- MANUEL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAI


FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES




USB key 16 Gb
062344

E1 GYS AUTO

10 200 A 230V 1~ PFC

with accessories :



075122

E2 GYS AUTO

10 200 A 230V 1~ PFC

with accessories :



075139

E3 GYS AUTO

10 200 A 230V 1~ PFC

with accessories :



075160

NEW
01 / 2023



10 m³
(50L)


1 x

6 m

E1 GYS AUTO 200 A • × 1



PFC POWER FACTOR CORRECTION



NEW
01 / 2023



2 x 4 m³
(20L)

2 x

6 m

E2 GYS AUTO 200 A • × 2

NEW
01 / 2023



2 x 4 m³
(20L)

3 x

E3 GYS AUTO 200 A • × 3

MADE IN FRANCE	CE NORM. 60974/1	50/60 Hz	A	6 m	min → max A	Ø mm		Electronic Control	EN60974-1 (40°C)		Ø mm	Equipment d'origine Original equipment Originalausstattung Equipamiento de fabrica	cm	kg	Protected & compatible power generator (+/-15%)
						200	300		IA (60%)	X% (I2 max)					
▪	E1 GYS AUTO	230V 1~	16	6 m	10 → 200	▪	▪		145	20	0.6 → 1	Acier Type B 0.6/0.8	74 x 49 x 78	43	9KVA
▪	E2 GYS AUTO	230V 1~	16	6 m	10 → 200	▪	▪		145	20	0.6 → 1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	87.5 x 63 x 90	49	9KVA
▪	E3 GYS AUTO	230V 1~	16	6 m	10 → 200	▪	▪		145	20	0.6 → 1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	87.5 x 63 x 90	51	9KVA



77

GYS AUTO

GMAW
FCAM
INVERTER SYNERGIC MIG



GMAW MIG/MAG INVERTER DOUBLE PULSE

Latest generation
colour screen 5"
800 x 480 (WVGA)



Youtube

ACCESSIBILITY

- 3 interface levels**
 - EASY
 - EXPERT
 - ADVANCED
- 10 languages**
 - French
 - English
 - German
 - Italian
 - Spanish
 - Czech
 - Dutch
 - Russian
 - Chinese
 - Japanese

EASY



3 INTERFACE LEVELS

ADVANCED



EXPERT

Pre-gas / Hot Start / Upslope / Downslope / Crater filler / Post-gas



500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

- DYNAMIC STANDARD
- PULSE
- PULSE IN PULSE
- MANUAL
- COLD PULSE**

FULLY DIGITAL

4 MICROPROCESSORS



65+ SYNERGIES

Retrouvez toutes les synergies :
Find all the synergies:
Finde alle Synergien :



- STEEL
- Cu Si 3 / Cu Al 8
- ALU

UPDATES


EASY USB UPDATE



USB key 16 Gb
062344

OPTIONS

PUSH PULL TORCH 24 V



MB 15
4m
044111

MB 25
4m
046283




MB 15 / MB 25
(250 A)
037458

x5 (Mg-Ø 0.8)
x5 (Mg-Ø 1.0)
x5 (Alu - Mg-Ø 0.8)
x5 (Mg-Ø 0.8)
x5 (Mg-Ø 1.0)
x5 (Alu - Mg-Ø 1.0)
x5 (Alu - Mg-Ø 1.2)



Débimètre de
bout de torche
053939

Housse de protection
- Protection cover
- Schutzhaube
052260



ELECTRONIC

AUTOPULSE 220-M1

1	Ø 200 / 300	PP	
-	-	-	-


AUTOPULSE 220-M2

1	Ø 200 / 300	PP	
2	Ø 200 / 300		

AUTOPULSE 220-M1

15 220 A 230V 1~ PFC

with accessories :



065024

AUTOPULSE 220-M1 208-240V

15 220 A 208>240V 1~ PFC

with accessories :




070868



AUTOPULSE 220-M2

15 220 A 230V 1~ PFC

with accessories :




069855

AUTOPULSE 220-M2 208-240V

15 220 A 208>240V 1~ PFC

with accessories :




069862



PFC POWER FACTOR CORRECTION

185 V ← 265 V



220 A • x1

220 A • x2

 MADE IN FRANCE	 EN 60974-1	 50 / 60 Hz	 A	 Ø mm	 min → max	 SPOOLGUN	 PUSH/PULL	 200 300	 Cooling system	 ELECTRONIC CONTROL	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica		 EN60974-1 (40°C)	 cm / kg	 Protected & compatible power generator (+/-15%)
											IA (60%)	X% (12 max)			
AUTOPULSE 220-M1		230 V · 1 ~	8 m	16	0.6+1.2	10+220	-	OPTION	■ ■	Air	ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M1 208-240V		208 > 240 V · 1 ~													
AUTOPULSE 220-M2		230 V · 1 ~	8 m	16	0.6+1.2	10+220	-	OPTION	■ ■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M2 208-240V		208 > 240 V · 1 ~													



GMAW MIG/MAG

INVERTER DOUBLE PULSE

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1



Helmet not included

2 x 4 m³ (20L)

3 x

8 m

PFC POWER FACTOR CORRECTION

185 V ← 265 V



AUTOPULSE 220-M3			
1			
2			-
3			-

LIC ELECTRONIC

15 220 A 230V 1~ PFC

with accessories:
4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.2 072138

036703

15 220 A 208>240V 1~ PFC

with accessories:
4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.2 072138

062481

OPTIONS

PUSH PULL TORCH 24 V

MB 15 4 m 044111
MB 25 4 m 046283

Motor inside

Débitmètre de bout de torche 053939

MB 15 / MB 25 (250 A) 037458

Housse de protection - Protection cover - Schutzhaube 052260

AUTOPULSE 320-T1				AUTOPULSE 320-T3				AUTOPULSE 320-T3 208-240V			
1				1				1			
2	-	-	-	2				2			-
3	-	-	-	3			-	3			-

LIC ELECTRONIC

15 320 A 400V 3~

with accessories:
4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.2 072138

069831

15 320 A 208>240V 3~ PFC

with accessories:
4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.2 072138

069848

15 320 A 400V 3~

with accessories:
4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.2 072138

067615

15 320 A 208>240V 3~ PFC

with accessories:
4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.2 072138

036970



2 x 4 m³ (20L)

3 x

5 m

5 m

OPTIONS

for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH

Ideal Alu

Ø 0,8

4 m 041486

Motor inside

220 A • x 3

320 A • x 1

320 A • x 3

MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	SPOOLGUN	PUSH/PULL	200	Cooling system	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica		EN60974-1 (40°C)	cm / kg	Protected & compatible power generator (+/-15%)
									ELECTRONIC CONTROL	IA (60%) X% (I2 max)			
AUTOPULSE 220-M3	230 V · 1~	8 m	16	0.6 → 1.2	10 → 220	-	OPTION	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150 220 A @ 20%	88x93x63 / 69	10 kVA
AUTOPULSE 220-M3 208-240V	208 > 240 V · 1~	8 m	16	0.6 → 1.2	10 → 220	-	OPTION	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150 220 A @ 20%	88x93x63 / 69	10 kVA

MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	SPOOLGUN	PUSH/PULL	200 300	Cooling system	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica		EN60974-1 (40°C)	cm / kg	Protected & compatible power generator (+/-15%)
									ELECTRONIC CONTROL	IA (60%) X% (I2 max)			
AUTOPULSE 320-T1	400 V · 3~	5 m	16	0.6 → 1.2	15 → 320	-	OPTION	Air		ALU : Type B 1.0 / 1.2	260 320 A @ 35%	90x92,5x63 / 82.5	16 kVA
AUTOPULSE 320-T1 208-240V	208 > 240 V · 3~	5 m	25	0.6 → 1.2	15 → 320	-	OPTION	Air		ALU : Type B 1.0 / 1.2	260 320 A @ 35%	90x92,5x63 / 82.5	16 kVA
AUTOPULSE 320-T3	400 V · 3~	5 m	16	0.6 → 1.2	15 → 320	OPTION	OPTION	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260 320 A @ 35%	75x40x94 / 82.5	16 kVA
AUTOPULSE 320-T3 208-240V	208-240 V · 3~	5 m	25	0.6 → 1.2	15 → 320	-	OPTION	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260 320 A @ 35%	75x40x94 / 82.5	16 kVA

HELMETS TECHNOLOGY

	Intensity (A)														
	1.5	70	100	125	150	175	200	225	250	300	350	400	450	500	600
MAG	8	9	10		11				12				13		
MIG		9	10		11				12		13	14			
light alloys				10	11	12			13		13				
PLASMA			9	10	11	13									


Teinte initiale - Initial shade



Classic

ULTRA CLEAR

Spectre de couleur - Spectrum view



Classic

TRUECOLOR

Capteurs sensibles - Sensitivity sensors

Classic

HIGH SENSIBILITY



Sensors x2

Sensors x4

Sensors x7

Classification - X=/X=/X=/X=

1/1/1/1 = PERFECT QUALITY

(1) Qualité optique (distorsion). (2) Diffusion de la lumière (contraste). (3) Variation de la transmission lumineuse (homogénéités de la teinte foncée). (4) Lumière angulaire (filtre de rayons lumineux diagonaux).

(1) Optical quality (distortion). (2) Light diffusion (contrast). (3) Variation of light transmission (homogeneities of the dark shade). (4) Angular light (diagonal light ray filter).

(1) / (2) / (3) / (4)

Serre-tête - Headgear



Simple

Multi

MULTI PRO

MULTI PREMIUM

Comfortable back

MULTI PREMIUM PRO

Comfortable back / Perfect stability

HELMETS 9-13



LCD FIREMAN 9-13
TRUECOLOR
062269

◀ 100 x 49 mm | □ → ■ 0.1 ms

GRIND TRUECOLOR

IDEAL



LCD GYSMATIC 9/13 G
TRUECOLOR
043909

◀ 100 x 60 mm | □ → ■ 0.08 ms

GRIND + (100) x 4 TRUECOLOR

HELMETS 5-9/9-13



ZEUS 5-9/9-13 G
INDIAN
038332

◀ 100 x 67 mm

□ → ■ 0.1 ms

GRIND + (100) x 4

TRUECOLOR



ZEUS 5-9/9-13 G
FIRE
044098



ZEUS 5-9/9-13 G
COSMIC
044104

OPTIONS



Sac pour masque de soudage - Carry bag for helmet welding
043299



Bandeau anti-transpiration - Antiperspirant - headband
043466 for Multi Premium, Multi Premium Pro, Multi, Simple
062627 for Multi Pro
070844 for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL



Loupe - Magnifying glass for Zeus, Ergotech & Alien True Color
x1 042780
zoom x2 042780
zoom x3 064140

VERRES - Lenses - Schutzgläser	Dimensions	Weight	Model	TRUECOLOR	Delay	HF	Delay	Classification	Sensitivity	XL	Zoom	Weight	Brand
226 x 106 (x5)	045781	103.6 x 54 (x5)	040809	LCD FIREMAN 9-13 TRUECOLOR	4-9>13	■	0.10 ms	—	0.15 > 0.8 s	1/1/1/2	2	100x49 mm	Multi Premium 490 g Gys
114x133 (x10)	043893	G: 106 x 66 (x10)	043886	LCD GYSMATIC 9/13 G TRUECOLOR	4-9>13	■	0.08 ms	✓	0.10 > 0.90 s	1/1/1/2	4 HIGH SENSIBILITY	XL: 100x60 mm	Simple 580 g Gys
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	043695	ZEUS	4-5>9 / 9>13	■	0.10 ms	—	0.15 > 0.8 s	1/1/1/2	4	XL: 100x67 mm	Multi 520 g Gys

HELMETS

5-9/9-13

ERGOTECH +

- ◀ 100 x 67 mm
- GRIND
- +
- CLASS 1/1/1/1
- TRUECOLOR
- Multi Premium



ERGOTECH + 5-9/9-13
SILVER
068650



ERGOTECH + 5-9/9-13
BLACK
068667

ALIEN +



ALIEN XXL +
TRUECOLOR
068698

- ◀ 100 x 90 mm
- +
- GRIND
- +
- CLASS 1/1/1/1
- TRUECOLOR
- Multi Premium




GYSMATIC XL
TRUECOLOR
037908

- ◀ 100 x 60 mm
- +
- GRIND
- +
- CLASS 1/1/1/1
- TRUECOLOR



ERGOTECH + 5-9/9-13
DREAM
068674



Multi Pro



GYSMATIC XXL
TRUECOLOR
037236

- ◀ 100 x 83 mm
- +
- GRIND
- +
- CLASS 1/1/1/1
- DIGITAL
- MEMORY & REGULATIONS ELECTRONIC
- TRUECOLOR

PANORAMIC

APOLLO +



APOLLO + 5-9/9-13 G
TRUECOLOR
068681

- ◀ 100 x 67 mm
- +
- GRIND
- +
- CLASS 1/1/1/1
- ULTRA CLEAR 3
- TRUECOLOR
- PANORAMIC
- Multi Premium



PANORAMIC 3XL
TRUECOLOR
037281

- ◀ 114 x 85 mm
- +
- GRIND
- +
- CLASS 1/1/1/1
- ULTRA CLEAR 3
- TRUECOLOR
- PANORAMIC

OPTIONS



Sac pour masque de soudage - Carry bag for helmet welding
043299




Bandeau anti-transpiration - Antiperspirant - headband
043466 for Multi Premium, Multi Premium Pro, Multi, Simple
062627 for Multi Pro
070844 for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL



Loupe - Magnifying glass for Zeus, Ergotech & Alien True Color
x1
zoom x2 042780
zoom x3 064140


VERRES - Lenses - Schutzgläser



Model	Size	Weight	Color	Grind	Delay	Sensitivity	Shade	Optics	Accessories	Mask Brand			
ERGOTECH +	114 x 133 (x10)	103.7 x 69.5 (x5)	043893	043695	3-5>9/9>13	0.10 ms	—	1/1/1/1	4 HIGH SENSITIVITY	XL: 100x67 mm	Multi Premium	580 g	Gys
ALIEN XXL + TRUECOLOR	114 x 133 (x10)	104 x 96 (x5)	043893	043596	3-5>9/9>13	0.10 ms	✓	1/1/1/1	4 HIGH SENSITIVITY	XXL: 100x90 mm	Multi Premium	560 g	Gys
GYSMATIC XL TRUECOLOR	110 x 90 (x5)	106 x 66 (x10)	040816	043886	4-5>9/9>13	0.08 ms	✓	1/1/1/1	4 HIGH SENSITIVITY	XL: 100x60 mm	Multi	540 g	Gys
GYSMATIC XXL & 5/13 AIR XXL TRUECOLOR XXL	114 x 133 (x10)	106 x 89.5 (x10)	043893	046825	4-5>9/9>13	0.10 ms	✓	1/1/1/1	4 HIGH SENSITIVITY	XXL: 100x83 mm	Multi Pro	680 g	Gys
APOLLO + 5-9/9-13 G	114 x 133 (x10)	103.7 x 69.5 (x5)	043893	043695	3-5>9/9>13 + 2x: 5	0.10 ms	—	1/1/1/1	4 HIGH SENSITIVITY	XL: 100x67 + 2x103.7x69.5 mm	Multi Premium	580 g	Gys
PANORAMIC 3XL TRUECOLOR	390 x 150 (x3)	special kit (x1)	037311	037304	3-4>8/8>12 + 2x: 3>10	0.15 ms	✓	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	Multi	610 g	Gys

HELMETS VENTILATED

IDEAL



DIGITAL MEMORY & REGULATIONS ELECTRONIC



ASPIRATEURS DE FUMÉE - Fume Extraction Systems - Rauchgasabsauggerät

UNI 2.0 RE

- 400V 3 ~
- 50 Hz
- 1100 W
- 1500 m³/h max

- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s
- 061545



Included
Pré filtre, treillis Aluminium
Class of filtration G3 EN 779
+ Filtre - Coal Filter EPA E12
EN 779, Filtration >99.5 %
046467

Options
Filtre à charbon actif -
Coal filter
Ø UNI 2.0 RE
064522

Extraction flexible
10 m, Ø 152 mm
Ø UNI 2.0 RE
Ø EVO 2.1 RE
062139

EVO 2.1 RE

- 230V 1 ~
- 50 Hz
- 1100 W
- 1200 m³/h max
- occasional
- arm 3 m
- included
- 85 kg

061552



Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ Filtre - Coal Filter HEPA H13
EN 779, Filtration >99.95%
046498

EVO 2.2

- 230V 1 ~
- 50 Hz
- 1100 W
- 1100 m³/h max
- occasional

- arm 3 m
- included
- 85 kg

073814



Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ Filtre - Coal Filter HEPA H13
EN 779, Filtration >99.95%
075177

TORCHES ASPIRANTES - Fume Extraction Torches - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos

Pour torches aspirantes - for fume Extraction Torches




BINZEL
073715

- 230V / 1 ~, 1100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Système de nettoyage automatique du filtre - Filter auto cleaning system - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included :
5 m, Ø50



- Évacuation extérieure
Ø50 (tuyau non inclus) -
External evacuation Ø50
(hose not included)



LCD GYSMATIC 9 / 13 G
AIR TRUECOLOR
065727
069602

100 x 60 mm

0.08 ms

GRIND + BATTERY TRUECOLOR



included with LCD
GYSMATIC 9 / 13 G
TRUECOLOR

GYSMATIC 5/13 AIR XXL
TRUECOLOR
047846
028852

100 x 83 mm

0.1 ms

GRIND + BATTERY TRUECOLOR
CLASS 1/1/1/1 DIGITAL



Multi Pro

Filtration class
EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION
Filter TH3
065734

Battery charger
037472
028869

Battery included
037465

038424 x1

038417 x5

VERRES - Lenses - Schutzgläser	TRUECOLOR	HF	DELAY	SENSITIVITY	XL	XXL	Multi Pro	MASK BRAND		
114 x 133 043893 (x10) G: 106 x 66 043886 (x10)	LCD GYSMATIC 9/13 G TRUECOLOR	4-9>13	0.08 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY	XL: 100x60 mm	580 g	Gys
114 x 133 043893 (x10) 106 x 89,5 (x10)	GYSMATIC 5/13 AIR XXL TRUECOLOR XXL	3-4>8 / 8>13	0.10 ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL: 100x83 mm	680 g	Gys



original equipment

X % 40°C - ArCO₂

GRIP

L

Ref.

	Acier/Inox - Steel/Stainless steel - Stahl/Edelstahl		
AIR	150 A	250 A	350 A
	M6	M6	M8
	Ø0.8	Ø1.0	Ø1.2
	150A - 60%	200A - 60%	290A - 60%
	GRIP	GRIP	GRIP
	3m	3m	4m
	043251	040540	040557

	LIQUID	
	500 A	
	M8	
	Ø1.2	
	380A - 100%	
	GRIP	
	4m	
	040564	



INDUCTION HEATING

CAR BODY

PFC POWER FACTOR CORRECTION

185 V ← 265 V



Youtube



PACKS - GYSDUCTION AUTO

	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO+ 056978	MECA AUTO 048812	MECA AUTO+ 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981
1 box	=	=	=	=	=	=	=	=
GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓
Plastic wedges 051294	✓	✓	✓	-	-	✓	✓	-
Burn off Inductor 053373	✓	✓	✓	-	-	✓	✓	-
Body Inductor 053359	✓	✓	✓	-	-	✓	-	-
Bolt Inductor 053366	✓	✓	✓	✓	✓	-	-	-
Remote control 055490	✓	✓	✓	✓	✓	✓	-	-
Universal 800 051331	✓	-	-	-	-	-	-	-
Cable support 052284	✓	-	-	-	-	-	-	-
Dent pulling Inductor 054776	-	-	-	-	-	✓	-	✓
Spiral inductor 054783	-	✓	-	-	✓	-	-	-



055490

GYSDUCTION AUTO

2 400 W 230 V • 1 ~

PFC AIR

CONSUMABLES



Protection (x5)
+ Colle - Stick
053854




Protection (x1)
+ Colle - Stick
059108



Protection (x10)
+ Colle - Stick
053847



For use < 3600W



056862

3 m

COMBIDUCTION AUTO 50LG

5 200 W 230 V • 1 ~

PFC LIQUID

065901



INCLUDED COMBIDUCTION

Décapage
Glass
Entfernen
053373



Décollage
Decal
Entkleben
053359



OPTIONS

Inducteur spirale
- Spiral inductor
- Spiralinduktor
054783



1.2 kW



Débosselage sans peinture
- PDR : Paintless Dent Repair
- Lackschadenfreies Ausbeulen
054776

Licensed by
BETAG innovation



Spray
refroidisseur
- Freezer spray

-50 °C
400 ml
(x 12)
048898

Adhesive for logo
(x10)
051492



EN-60 335/1	MADE IN FRANCE	Cable L (m)	A	W	Freq. kHz	Tech. PFC	Liquid Cooling	Inductor	Heating	cm	kg	Protected & compatible power generator (+/-15%)		
													Inductor	Heating
GYSDUCTION AUTO	230V, 1~, 50/60 Hz	16 mini	2400	35+100	▪		2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	36 x 27 x 22	7.5	3 kW
COMBIDUCTION AUTO 50LG	230V, 1~, 50/60 Hz	25 mini	5200	20+80	▪	71	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	72	6 kW



POWERDUCTION

INDUCTION HEATING

MAINTENANCE / MECHANIC / INDUSTRY



t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)

5,5m

POWER HEAT CONTROLLER
061644

Included
T° sensors
thermocouple type K
x2

QR code and Youtube icon

OPTIONS

Pyrometer IR
for inductor L90

1.1 m
064119

Compatibility

- POWERDUCTION 110LG
- POWERDUCTION 110LG 208-240 V
- POWERDUCTION 160LG
- POWERDUCTION 160LG 208-240 V
- POWERDUCTION 220LG

INCLUDED

Spirale - Coil - Spiralförmiger draht

Ø 18 mm
054806

Ø 24 mm
054790

Ø 30 mm
055469

Fil tressé enroulable - Flexible
wrappable wire - Flexibel
geflechtener draht

800 mm
054813

Fil droit rigide - Straight rigid wire
- Steif gerade draht

800 mm
054868

PFC POWER FACTOR CORRECTION

185 V ↔ 265 V



1 m

POWERDUCTION 10R

1 200 W 230V • 1~

AIR

062504

068643



2 m

POWERDUCTION 37LG

3 700 W 230V • 1~

LIQUID

056992

072510

3 m



included C20/B1
056862

POWERDUCTION 39LG

3 700 W 230V • 1~

PFC LIQUID

058583



For use < 3600W

included C20/B1
056862

3 m



POWERDUCTION 50LG

5 200 W 230V • 1~

PFC LIQUID

055599

included adapter
32L + L90
064515 + 059788

4 m



POWERDUCTION 110LG

11 000 W 400V • 3~

LIQUID

058590

POWERDUCTION 110LG 208-240V

11 000 W 208-240V • 3~

LIQUID

065246

OPTION 10R

Decal - Décollage - Entkleben
066601



OPTION 37LG

Cable support
052284



Chariot - Trolley
UNIVERSAL 800
051331



Youtube

MADE IN FRANCE	Cable L (m)	Freq.	INTEGRATED TECHNOLOGY		Liquid Cooling	Cable L (m)		Heating		cm	kg	Protected & compatible power generator (+/-15%)		
			A	W		kHz	P400	PFC	Inductor				Heating	
POWERDUCTION 10R	230V, 1~, 50/60 Hz	10 mini	1 200	45+80	—	—	2	1	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	23 x 14 x 10	3	1.5 kW
POWERDUCTION 37LG	230V, 1~, 50/60 Hz	16 mini	3 700	15+30	—	—	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	45 x 29 x 25	15	4 kW
POWERDUCTION 39LG	230V, 1~, 50/60 Hz	16 mini	3 700	20+60	■	■	4	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	53 x 70 x 37	39.5	4 kW
POWERDUCTION 50LG	230V, 1~, 50/60 Hz	25 mini	5 200	20+60	■	■	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	70	6 kW
POWERDUCTION 110LG 400V	400V, 3~, 50/60 Hz	16 mini	11 000	20+60	—	—	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	80	15 kW
POWERDUCTION 110LG 208-240V	208-240V, 3~, 50/60 Hz	35 mini	11 000	20+60	—	—	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	86	15 kW



93

POWERDUCTION INDUCTION HEATING



t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)

5,5m

POWER HEAT CONTROLLER
061644



<p>POWERDUCTION 160LG</p> <p>16 000 W 400 V • 3~</p> <p>LIQUID</p> <p>057814</p>	<p>POWERDUCTION 160LG 208-240 V</p> <p>16 000 W 208-240 V • 3~</p> <p>LIQUID</p> <p>065253</p>	<p>POWERDUCTION 220LG</p> <p>22 000 W 400 V • 3~</p> <p>LIQUID</p> <p>066861 with 10 m cable : 074576</p>
--	--	--

MADE IN FRANCE	Cable L (m)	Inductor	Heating	cm	kg	Protected & compatible power generator (+/-15%)	AM		Freq. kHz	Liquid Cooling			
							A	W					
POWERDUCTION 160LG 400V	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	70 x 118 x 60	136	32 mini	16 000	20+60	301	4	6	400V, 3~ 50/60 Hz
POWERDUCTION 160LG 208-240V	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	70 x 118 x 60	146	45 mini	16 000	20+60	301	4	6	208-240V, 3~ 50/60 Hz
POWERDUCTION 220LG	10	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 118 x 60	141	32 mini	22 000	20+60	301	4	6	400V, 3~ 50/60 Hz
POWERDUCTION 220LG	10	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 118 x 60	145	32 mini	22 000	20+60	301	4	6	400V, 3~ 50/60 Hz

OPTIONS

Poignée de lance - Removable handle - Abnehmbarer Griff for POWERDUCTION 160 - 220 LG 068599

Housse de protection - Protection cover - Schutzhaube for POWERDUCTION 160 - 220 LG 050853

Cooling liquid for POWERDUCTION 160 - 220 LG 062511 (5L) 052246 (10L)

INDUCTEURS - Inductors

SMALL (Ø16)

* = original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B2 064881	S180/B3W 067899	S180/D20 069985	S180/D25 069992	S180/D30 070592	S180/D35 070608	S180/D40 070615	S180/D45 070622	S180/D50 070639	S180/D55 070646
37 LG	✓*		✓					✓							
39 & 50 LG									✓ with adapter 285						
110 & 160 LG									✓ with adapter 325						
220 LG									✓ with adapter 325						

LARGE (Ø32)

* = original equipment	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L20/B4 067882	L20 Alu Glove 069114	L180/D60 069923	L180/D70 069930	L180/D80 069121	L180/D90 069947	L180/D100 069954	L180/D110 069961	L180/D120 069978
37 LG													
39 & 50 LG									✓ with adapter 28L			✓ with adapter 28L	
110 & 160 LG	✓* with adapter 32L*								✓ with adapter 32L			✓ with adapter 32L	
220 LG									✓ with adapter 32L			✓ with adapter 32L	

LARGE (Ø32)

* = original equipment	L90 BRAZ 16 Ø 1/2" / 16 mm 076907	L90 BRAZ 28 Ø 1" / 28 mm 076921	L180 BRAZ 16 Ø 1/2" / 16 mm 076914	L180 BRAZ 28 Ø 1" / 28 mm 076938
110 & 160 LG				✓ with adapter 32L
220 LG				✓ with adapter 32L

ADAPTER

	285 M28 Ø16 064485	325 M32 Ø16 064508	28L M28 Ø32 064492	32L M32 Ø32 064515
37 LG				
39 & 50 LG	✓		✓	
110 & 160 LG			✓	✓
220 LG		✓		✓

COMPLETE (Ø28)

* = original equipment	C20/B1 (20°) 056862	C180/B1 (90°) 056879	C180/B2 (90°) 056886
39 & 50 LG	✓*		✓

BOÎTES - Boxes

<p>285/B type W for 39LG & 50LG 072497</p> <p>included : S20/B1 (x1) S180/B1 (x1) S180/B3 (x1) 285 (x1) B1 (x1) B3 (x1)</p>	<p>325/B type W for 110LG & 160LG 072503</p> <p>included : S20/B1 (x1) S180/B1 (x1) S180/B3 (x1) 325 (x1) B1 (x1) B3 (x1)</p>	<p>L box 065796</p> <p>included : L70 (x1) L180 (x1)</p>
--	--	---

FERRITES - Ferrites - Ferritaufsatz

B1 053823	B2 053458	B3 067875	B4 053755	Spiral 069701
-----------	-----------	-----------	-----------	---------------

Glue kit for inductor
Kit de colle pour inducteur 075948

Colle-Stick bi-composants Power Epoxy 150°C 054851



CUTTER


PLASMA

1~


COMPRESSOR COMPRESSOR INSIDE




AD ANTI-DUST VENTILATION CORRIDOR




PFC POWER FACTOR CORRECTION



FV FLEXIBLE VOLTAGE



CNC COMPUTER NUMERICAL CONTROL



PFC EN 61000-3-12 POWER FACTOR CORRECTION

AIR FILTER

NEW NAME

DIGITAL (PRESSURE SENSOR)

INCLUDED: 8mm



DIGITAL (PRESSURE SENSOR)

INCLUDED: 8mm

DIGITAL (PRESSURE SENSOR)

PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

IDEAL CARBODY REPAIR



COMPRESSOR Compressor inside

EASYCUT K25

230 V • 1 ~

25 A Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR

TPT 25, 4 m 2 m, 10 mm²

068063

EASYCUT K35F

230 V • 1 ~

35 A Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR

MT35K, 4 m 2 m, 10 mm²

031036

EASYCUT 25

230 V • 1 ~

25 A Fe 8 mm Al/CrNi 6 mm

TPT 25, 4 m 2 m, 10 mm²

065543

CUTTER 30FV

110 → 230 V • 1 ~

30 A Fe 15 mm Al/CrNi 10 mm

P400 PFC FV

TPT 40, 4 m 060753 2 m, 10 mm²

013858

EASYCUT 40

230 V • 1 ~

40 A Fe 18 mm Al/CrNi 15 mm

TPT 40, 4 m 060753 2 m, 10 mm²

029743

CUTTER 45 CT

110 → 230 V • 1 ~

45 A Fe 30 mm Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC

MT 70, 6 m 2 m, 10 mm²

014787 013629 062962

OPTIONS

COMPAS for TPT 40, TPT 25, MT 25K / MT 35K

x1 040199

040205

R max = 670 mm

Consumables	MT25K	TPT25	MT35K	TPT40
TPT	x4 040182	x4 040236	x4 040229	x4 040236
Tip	x10 040151	x10 040212	x10 040212	x10 040212
Welding torch	x2 040175	x2 040175	x2 040175	x2 040175
Filter	x10 040168	x10 040168	x10 040168	x10 040168
Coffret - Box	039971	070721	039964	039957

Chariot - Trolley

PLASMA 600
↓ 39 x 62 x 58 cm
↑ 30 x 11 x 63 cm
8.8 kg
040298

Universal 800
↓ 48 x 81 x 62 cm
↑ 52 x 15 x 81 cm
18 kg
051331

Jobsite XL
↓ 60 x 115 x 59 cm
↑ 67 x 25 x 48 cm
039568

Filtre déshumidificateur spécial Plasma - Compressed air cleaning filter for Plasma Cutter 40 039728

Cartouche pour filtre - Filter cartridge 039735

CE NORRM EN60974-1	Cable	I ₂	Coupe max Severance cut			Coupe propre Clean cut			Perçage Piercing			INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)		cm	kg	Protected & compatible power generator (+/-15%)			
			Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	FV	GRID CUT	AD	IP23	CNC	COMPRESSOR	min	ideal	max	I 60%	X% I2 max				100%		
MADE IN FRANCE	EASYCUT K25 <i>New</i>	230V 1~	13	10+25	8	6	6	4	—	—	—	—	—	—	—	—	—	—	included	15 A	26%	—	43 x 35 x 20	15	4.1 kW	5.9 kVA	
	EASYCUT K35F	230V 1~	13	10+35	15	10	10	8	—	—	—	—	—	—	—	—	—	—	included	28 A	30%	20 A	62 x 56 x 32	33	8 kW	10 kVA	
MADE IN GYS CHINA	EASYCUT 25 <i>New</i>	230V 1~	13	10+25	8	6	6	4	—	—	—	—	—	—	—	—	—	—	2.5 bar 4.5 bar 115 L/min	6.5 bar 15 A	30%	10 A	15 x 42 x 30	8	—	—	
	EASYCUT 40	230V 1~	16	10+40	20	15	15	12	—	—	—	—	—	—	—	—	—	—	2.5 bar 5 bar 115 L/min	9 bar 23 A	30%	20 A	45 x 28 x 20	10.8	6.5 kW	6 kVA	
MADE IN FRANCE	CUTTER 30FV	230V 1~	16	10+30	15	10	10	8	—	—	—	—	—	—	—	—	—	—	5 bar 115 L/min	7 bar 19 A	25%	15 A	—	—	—	—	
		110V 1~	32	10+30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	CUTTER 45CT	TPT 40	230V 1~	16	15+45	20	15	15	10	8	6	—	—	—	—	—	—	—	—	5 bar 115 L/min	7 bar 41 A	50%	32 A	—	—	—	—
		MT 70	110V 1~	32	15+30	15	10	10	8	—	—	—	—	—	—	—	—	—	—	5 bar 115 L/min	7 bar 21 A	25%	17 A	48 x 37 x 23	15	10.5 kW	8 kVA

CUTTER / EASYCUT PLASMA CUTTING



COFFRET DE DÉCOUPE JOINT DE PARE-BRISE - Professional Box Set for Windscreen Removal
Removal - Frontscheiben-Trennsystem für Akkuschrauberbetrieb

MADE IN HIGH QUALITY GERMANY



057654

included
Axe enrouleur
068100

included
65 m
resistance 170 kg
Ø 0.79 mm
058125

optional
65 m
resistance 190 kg
Ø 0.92 mm
069275



COUPEAU PNEUMATIQUE DE DÉCOUPE PARE-BRISE
- Oscillating Pneumatic Saw for Windscreen Removal
- Druckluft-Trennmesser für Windschutzscheiben

057623



Included
57 mm
057845

90 mm
057852

8 mm
057876

35 mm
057838

U
36 mm
057869

EXTRACTEUR D'ESSUIE-GLACE - Removal tool for windscreen wiper arms - Wischerarm-Abzieher

UNIVERSEL
057630



30 mm max

EXPERT

Accès difficile
- Difficult access
057647




40 mm max




SYSTÈME DE DÉCOUPE PARE-BRISE À CLIQUET
- Windshield Cutting kit - Set zum Lösen von Windschutzscheiben

054738



PROTECTIONS TABLEAU DE BORD
- Dashboard Protector - Armaturenbrett Schutz

053120



VENTOUSES - Suction Lifting Pads - Saugnapfwerkzeug für Spiegelgläser

056695



Ø 70 mm



051966



x2

x6
057609



OUTIL DÉCOUPE PARE-BRISE
- Windshield Cutting Tool - Windschutzscheiben Demontage-Set

051935



KIT DÉCOUPE JOINT DE PARE-BRISE - Windscreen Joint-cutting Kit - Scheibentrenn-Werkzeug-Set

051898



Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedreht, 22 m Rolle

051911

Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
- Vierkant-Draht, 50 m Rolle

051881

RENOV'POLYCARBONATE - Compressed air polisher - Druckluftpolierer

Complete pack

1 ponceuse orbitale
+ 1 lustreuse
- 1 orbital sander
+ 1 polisher

052086



2 SPEED

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+



Ø 76

P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)



P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048

polisher Ø75
058224

AGRAFEUSE POUR RÉPARATION PARE-CHOCS - Hot stapler for bumper repair - Stoßstangen Reparatur Kit

052925



INCLUDED:
x20 x20 x20 x20 x20

MADE IN TAIWAN

PORTABLE
Sur batterie - Battery operated
058118

included
Li-ion battery 3.7 V
048669
included adapters:
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN



INCLUDED:
Ø 0.6, x100 Ø 0.8, x100



Agrafes - staples

Angle interne étroit - Inside corner Ø 0.7 mm	Alignement de fissure - Crack alignment Ø 0.7 mm	Fissure importante - Large crack Ø 0.7 mm	Angle interne - Internal angle Ø 0.7 mm	Angle externe - External angle Ø 0.7 mm
x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952
052413				
=	+	+	+	+
x 50	x 50	x 50	x 50	x 50

COFFRET DE PERÇAGE PARE-CHOCS POUR DÉTECTEURS - Piercing Kit for Bumper Sensors - Lochwerkzeug für Stoßfänger



PRO +
059139

Ø 17-18,18,2
19-20-22,5-24
26-26,7-32 mm



FREEZER

Spray refroidisseur
- Freezer spray

-50 °C

400 ml

(x 12)
048898



OUTIL DE DÉCLIPSAGE PARE-CHOCS




076518



NEW

x15
076525

STATION DE SOUDAGE DES PLASTIQUES - Plastic welding station - Kunststoff-Schweißset



320 W - 230 V, 1-50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min


Station seule
- Station only
064072

OPTION

Trolley SPOT 600
053533



Ø 5 mm
066694
Ø 8 mm
066700




baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		■ 6 mm	x 10	067622
		■ 8 mm	x 10	066298
	ABS	▲ 4 mm	x 10	071322
		■ 8 mm	x 10	071339

		PP/EPDM	Pressure wheels	Mini milling machine	Scraper
	Station	4mm (x10)	6mm (x10)	8mm (x10)	
064072	✓				
070974			✓		



KIT DE SOUDAGE DES PLASTIQUES - Welding Kit for Plastics - Kunststoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / ⚬ Ø100 x 300mm,
poignée Ø 56mm.

057678



Options

TIP Ø5
061262

TIP insert Ø5
061279

x10
052956

x1
25 x 12.5 cm
052949

COFFRET DE RÉPARATION DES PLASTIQUES AUTOMOBILES - Brazing automotive plastics repair kit - Kunststoff Reparatur Set



052932

MADE IN BELGIUM









x10
052956

25 x 12.5 cm
x2
052949

057258

052963

GYS HAND TOOLS - Ausbeulwerkzeug● **FULL PACK =**
061637+ ● **MEDIUM PACK**
051133**KIT MARTEAUX ET TAS - Planishing Kit for Car Body (Set of 3 Hammers + 4 Dollies) - Karosseriehammer & Handfaust Kit****BURINS**- Hand Chisel for Car Body
- Meißel für Karosserie**COUTEAUX RACLOIRS**
- Set of 3 scraping knives**LOT DE 3 BURINS DE SÉPARATION ÉLÉMENTS COLLÉS - Set of 3 chisels - 3 Meißel****PLANISHING HAMMER BLACKTEC®****OUTILS DE FORME - Forming tools - Formgebungswerkzeuge****OUTILS DE DÉGARNISSAGE ET RACLAGE - Set of 30 Tools for scraping/sanding and paint removal - Polster & Schaber Kit****JAUGES DE PROFIL - Contour Gauge - Konturenlehre****JAUGES DE POSITIONNEMENT - Gapping gauges - Spaltmaßlehre****OUTIL DE REMISE EN FORME PASSAGE DE ROUE - Fender roller tool set****REDRESSEUR DE CHARNIÈRE DE PORTE - Fixed Hinge Bending Tool****PINÇES DE MAINTIEN BORD À BORD - Positioning clamp - I-Stoß-Lehre****PINÇES MICRO-GRIP - Micro-grip clamps****PINÇES ÉTAU À BEC PLAT - Flat nose lock-grip pliers****SERRE-TÔLES - Temporary-fasteners manual mounting****PINÇES AXIALES - Axial-grip pliers****PINÇES ÉTAU MONO SERRAGE - Lock-grip pliers**

MINI-MEULEUSE - Mini disc sander - Druckluftschleifer

051829

Speed adjustment

Ø 75 mm

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	200	83	171	6.2	12	0.7

Included (x1) 052468

MEULEUSE D'ANGLE - Long Handled Angle Grinder - Druckluft-Winkelschleifer

057753

Ø 100 mm

± 1.6 mm, x5 057883
± 0.8 mm, x5 058217

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
14000	84	113	6.2	37	1.7	

COFFRET DÉCAPEUSE PNEUMATIQUE - Pneumatic surface remover Kit - Druckluftentroster-Box inkl. Zubehör

051775

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
4000	500	86	102	6.2	280	1.2

- Roue gomme 115 x 14 mm 051874
- Roue à découper 115 x 14 mm 051843
- Adaptateur pour brosse 051768
- Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598
- Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812
- Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

PINCE À SOYER ET À TROUER, Ø5MM PNEUMATIQUE - Pneumatic flange / ø5 mm punching tool - Pneumatische Loch- und Absatzzange Ø 5 mm

052543

2 in 1

Ø 5 mm

0.8 > 1.2 mm

0.8 > 1.2 mm

058248

x2 Ø 50 & 75 mm

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	84	91	91	6.2	10	0.6

MINI-MEULEUSE À RENVOI D'ANGLE - Mini Angle Grinder - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867

Ø 50 mm

90°

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	200	86	85	6.2	18	0.75

(x1) 052772

MINI FRAISEUSE - Mini milling machine - Mini-Schleifer

063228

Option Tungsten drill Ø 6 mm 054172

OUTIL DE POINÇONNAGE OBLONGS - Punching tool for oval holes - Langlochkarosserieblechzange

2.2 kg

6 mm 20 mm 052437

8 mm 20 mm 067264

BODY ZIPPER - Sertisseuse pneumatique Pneumatic Crimper - Druckluftkantenformer

056930

MADE IN HIGH QUALITY POLAND

1) MINI

2) initial W

3) final M x < 2.4mm

4) final D x > 2.4mm

Air pressure bar	cm	kg
5	28	2.1

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

K 40 (x10) 058255
K 60 (x10) 058262
K 80 (x10) 058279

PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

060906

360°

520 mm

20

Grain 60 (x 5) 060913
Grain 80 (x 5) 060920
Grain 100 (x 5) 060937

Grain 36 céramique (x 5) 062535

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16 000	171	6.3	34	1.2

SCIE COUPE TÔLE DROITE ET LIME - Saw for Straight Cut and File - Druckluftsäge und Feile

051805

(x5) 052789

included 058750

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
5000	—	85	255	6.2	10	0.8

DÉPOINTEUSE POUR CORDON LASER ACIER - Laser cord metal sheet cutter (nibbler) - Trennwerkzeug für Lasernähte

054165

Ø 6 mm

STEEL Included 054172

DÉPOINTEUSE - Spot remover - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464

360°

Ø 8

Included: Tungsten Carbide Ø 8 for BORON/UHSS (x1)

HIGH QUALITY

Forets de dépointage - Spot remover drill - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	400	85	140	6.5	35	2.3

Youtube

PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

052819

360°

330 mm

10 mm

Grain 80 (x 10) 052833

Grain 36 céramique (x 20) 062528

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16000	171	6.3	26	0.9

MINI-FRAISEUSE À RENVOI D'ANGLE - Mini Angle Milling Machine - Mini-Winkelschleifer

051836

90°

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	500	81	85	6.2	18	0.7

PERCEUSE MANDRIN AUTOMATIQUE - Automatic Mandrel Drill - Druckluftbohrmaschine m. Schnellspannfutter

051799

Ø 13

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	300	92	170	6.2	18	0.9

PACK SPOT DRILL + 140 mm 061460

140 mm 061453

3-edge Ø 8 mm 053069

PISTOLET ANTISTATIQUE
- Antistatic gun - Pistola antistatica - Pistola antiestática

NEW

077010


Position correcte des particules de métal après ionisation
- Correct metal particles positioning, with ionisation
- Posizionamento corretto delle particelle con ionizzazione
- Posicionamiento correcto de las partículas metálicas después de la ionización



DÉTECTEUR ÉPAISSEUR DE PEINTURE
- Film coating thickness gauge

059856

Measurement range : 0 - 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm



PONÇEUSE / POLISSEUSE ÉLECTRIQUE - Electric Sander & Polisher
- Elektro-Polier-Schleifer

ASPIREUR PNEUMATIQUE POUR POUSSIÈRES ALU (ATEX)
- Pneumatic aluminium dust atex vacuum cleaner

057999

Orbital 5.0 mm
↳ 303 x 101 mm
1.21 kg
Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

((No vibration))

Speed control



Ø 35

Ø 152 mm

Light weight
& Compact

058866

Dust container capacity : 25 l
Working compressed air pressure : 7 bar
Compressed air consumption at 6 bar : 800 l/min
Suction connection diameter size : 50 mm
Max suction capacity : 150 m³/h
Max vacuum level : 2000 mm H₂O
Recommended compressor power : 7.5 HP

↳ 74 x 45 x 45 mm
▲ 18 kg



Manual or automatic

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel
↳ 380 x 380 x 700 mm
▲ 7 kg



4m Input Ø 32 mm Mains cable length 4.5m



included Filtre - Filter 075405



included Sac à poussières - Filter bag Capacity 5 kg x5 058880



5m Output Ø 29 mm Input Ø 35 mm

GYS DUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM

Depression 1150 mm H₂O
Air flow 600 l/min
Air consumption 340 l/min

Pression ponçeuse ajustable - Adjustable sander pressure
5 bar max

↳ 350 x 800 x 400
▲ 21 kg



- ✓ **ROBUST**
- ✓ **QUICK & SAFE**
- ✓ **LOW AIR CONSUMPTION** (5 bar)
- ✓ **NO ELECTRIC MOTOR**
- ✓ **ENERGY SAVING**


Rangement pour disques de ponçage*
- Sanding discs box*
*disques de ponçage non inclus - discs box not included



Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Aucune maintenance - Maintenance free



Consumables

Sac à poussières - Filter bag Capacity 5 kg
Included x1
x5 058880



5 m Ø 29 mm

Option :
10m Ø 29 mm 076013



Included Earth clamp safety



Ponçeuse non fournie - Sander not included



Ponçeuse pneumatique - Pneumatic Sander **MIRKA PROS 650CV**
Ø 150 mm 071346

2 MODELS

GYS DUST EXTRACTOR

MANUAL

Démarrage manuel - Manual start

071353



GYS DUST SELF EXTRACTOR

AUTOMATIC

Démarrage automatique - Automatic start

077058



NEW
12 2022

LAMPES BALADEUSES - Hand lamps - Handleuchte

Lampe BALADEUSE TRIPODE 250 L
100-250 lumens (x3)
 3 x 1 W COB LED
 3 x 3.6 V - 300 mAh
 AAA rechargeable, Ni-MH
 USB charging (6h)
operating time
 High position : 1 h
 Low position : 3 h
 Flashing : 5 h
 ↓ 260 x 100 x 100 mm
 059955



Lampe BALADEUSE 400 L
400 lumens
 COB LED
 Li-ion
 Charging time : 8h
operating time
 High position : 2.5 h
 Low position : 5 h
 Top light (1 W) : 6 h
 ↓ 230 x 65 x 40 mm
 059153



Lampe BALADEUSE ÉTANCHE 400 L
200-400 lumens
 COB LED
 3.7 V - 2000 mAh Li-ion
 USB charging (4/6 h)
 mains charger not included
operating time
 High position : 2 h
 Mid position : 4 h
 Top light (4 W) : 3 h
 ↓ 285 x 65 x 65 mm
 IP 56
 Étanche - Waterproof
 059948



Lampe BALADEUSE PRO 600 L
250-600 lumens
 COB LED, 80 CRI
 3.7 V - 2200 mAh Li-ion
 micro USB charging (3.5 h)
operating time
 High position : 1.5 h,
 Mid position : 4.5 h,
 Top light (100 lumens) : 10 h
 ↓ 190 x 56 x 29 mm
 IP 54
 210 g
 060883



Lampe AMBIANCE 360° PORTABLE 1000 L
60-1000 lumens
 >80 CRI SMD LED
 6500 K
 3.7 V - 5200 mAh Li-ion
 USB charging (4.5h)
 USB power supply
operating time 2 > 27 h
 ↓ 260 x 75 x 75 mm
 IP 54
 450 g
 059764
 USB charging /Power supply
 Ambient light



LAMPES SOUS CAPOT - Under bonnet lamps - Leuchte für Motorhaube

Lampe SOUS CAPOT 600 L
500-1000 lumens
 120 COB LED
 3.7 V - 4000 mAh Li-ion
 charging time : 10/12 h
operating time
 High position : 4 h
 Low position : 8 h
 1.7 kg
 059962



Lampe SOUS CAPOT 800 L
250-800 lumens
 120 COB LED
 3.7 V - 4000 mAh Li-ion
 charging time : 10/12 h
operating time
 High position : 3 h
 Low position : 6 h
 058002
 058316



LAMPES D'INSPECTION - Inspection lamps - Inspektionslampen


Lampe INSPECTION FRONTALE 280 L
100-280 lumens
 3 W COB LED, 80 CRI+, 6500 K
 3.7 V - 1500 mAh Li-po
 micro USB charging
 mains charger not incl.
operating time
 High position : 2 h
 Low position : 6 h
 IP 65
 110 g
 ↓ 78.5 x 47.5 x 42 mm
 060845
 motion detection mode



Lampe INSPECTION MINI 200 L
120-200 lumens
 COB LED, 80 CRI, 6500 K
 3.7 V - 700 mAh Li-ion
 micro USB charging (2.5 h)
 mains charger not included
operating time
 High position : 1.5 h
 Low position : 4 h
 Top light : 3.5 h
 IP 20
 76 g, ↓ 174 x 27.5 x 28 mm
 060852



Lampe INSPECTION PRO 600 L
0-600 lumens
 COB LED
 6500 K
 3.7 V - 2600 mAh Li-ion
operating time
 1.5 > 15 h
 ↓ 380 x 40 x 45 mm
 300 g
 057760
 058309




PROJECTEURS LED SUR TRÉPIED - LED worklights with tripod - LED-Arbeitsleuchte mit Standfuß


Lampe sur TRÉPIED 1800 L
1800 lumens
 3x 55 COB LED
 total 165 LED
 1.8 m power cord
 059146





Lampe sur TRÉPIED 3000 L
3000 lumens
 35 W COB LED
 2 m power cord
 IP 44
 059979



Lampe sur TRÉPIED 4000 L
4000 lumens
 3x 20 COB LED,
 total 60 LED
 3 m power cord
 059986



CONTRÔLE DES COULEURS - Detailing & colour match - Fabnpassung & Aufbereitung



4500 K
400 lumens
SUNCOLOR 1
 COB LED, CRI > 95, 1100 lux
 3.7 V - 2600 mAh Li-ion
 USB charging
operating time : 3 h
 ↓ 190 x 56 x 29 mm
 290 g
 IP 65
 058477




3 COLORS
2700 - 4500 - 6500 K
350-420-450 lumens
SUNCOLOR 3
 COB LED, 96 CRI+
 3.7 V - 2600 mAh Li-ion
 micro USB charging (4 h)
operating time : 2.5/4 h
 IP 65
 ↓ 190 x 56 x 29 mm, 290 g
 060838




5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K
500-1000-2000 lumens
SUNCOLOR 5
 COB LED, 96 CRI+
 11.1 V - 4400 mAh Li-ion
 charger 110/240 V, 5 m cable, 15 V, 1.5 A
 charging time : 3.5 h
operating time
 High position : 2 h, Mid : 4 h, Low : 8 h
 IP 65
 ↓ 225 x 200 x 70 mm, 1.2 kg
 060876



5 COLORS
2500-3500-4500-5500-6500 K
250-500 lumens
SUNMATCH 3
 COB LED, 96 CRI+, 700-1400 lux
 3.7 V - 2600 mAh Li-ion, USB charging
operating time :
 High position : 2 h, Low position : 4 h
 IP 65
 ↓ 204 x 89 x 81 mm, 270 g
 061651



SÉCHAGE UV - UV CURING
UV LED λ 395-400 nm
Irradiance 6-15 mW/cm²
NOVA-UV S
 3.7 V - 5400 mAh Li-ion
 USB charger, 1 m cable, 5 V, 2 A
 charging time : 3.5 h
 curing area : Ø 20 cm
operating time 1.5 h
 IP 67
 ↓ 163 x 63 x 163 mm
 061620





TRÉTEAUX - Frames support - Klappböcke

040601
100.5 x 112 cm - 5.5 kg
35 x 95 x 106 cm

Ø 28 mm

4 pieds coudés
Idéal sur caillébotis
- Bent feet for grating
- Abgewinkelte Standfüße:
Sicherer Stand auf Gittern u.ä.

Chainette réglable
- Adjustable catenary

Mousse de protection
- Protecting foam

Antidérapants
- Non-slip base

040250
100 x 105 cm - 7 kg
32 x 10 x 106 cm

Ø 32 mm

Léger et très maniable
Spécial travaux à l'horizontal
- Light and easy to handle
- Ideal for horizontal works
- Speziell geeignet für Arbeiten
in horizontaler Position

20 x 20 mm 16.5 kg

MADE IN HIGH QUALITY POLAND

15 > 125 cm

88 > 128 cm

3 mm

87 cm

070677

040311
104.5 x 117 cm - 8.1 kg
32 x 10 x 106 cm

Ø 32 mm

4 ventouses
Dépose vitrages
- Suction pad for glazing
- Gummiteiler zur Fixierung
von Glasscheiben

040304
104.5 x 108.8 cm - 8.1 kg
32 x 10 x 106 cm

Ø 32 mm

**SUPPORT PARE-CHOCS - Rotary element support
Lackierständer für Stoßstange, einstellbar**

052376
91 x 105 cm - 7.6 kg
60 x 11 x 75 cm

Adapté aux coques de rétroviseurs
- Adapted to wing mirror covers
- Geeignet für Außenspiegel

059825

106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

50 cm

059832

50 x 150 cm - 13 kg
152 x 15.5 x 11.5 cm

50 cm

**SUPPORT ÉLÉMENT ROTATIF - Rotary element support -
Lackierständer für Stoßstange, einstellbar**

MADE IN HIGH QUALITY POLAND

052611
200 x 101 cm - 17.5 kg
35 x 15 x 110 cm
Made in China

PRO 056725
200 x 105 x 81 cm - 22 kg
24 x 17 x 118 cm

1.5 mm

360°

2 mm

Verrouillage de l'axe - Locking of the axis
- Verriegelung der Achse

**CHARIOT EXTENSIBLE POUR ÉLÉMENTS DE CARROSSERIE -
Extendable support - Ausziehbarer Wagen**

061507
max 150 kg

100 cm

135 - 210 cm

26 kg
114.5 x 42 x 13.5 cm

MADE IN HIGH QUALITY POLAND

**CHARIOT DE LUXE MAROUFLAGE - Premium masking machine -
Abdeckpapier-Ständer**

MADE IN HIGH QUALITY POLAND

x 5 (not included)
rouleaux de papier
- Papierständer
- Paper roll
30 > 120 cm

057333
150 x 133 x 62 cm
32 kg
152 x 17 x 29 cm

OPTION
Ø 40 mm
x 6
058897

**CHARIOT DE MAROUFLAGE - Masking machine -
Abdeckpapier-Ständer**

MADE IN HIGH QUALITY POLAND

x 3 (not included)
rouleaux de papier
- Papierständer
- Paper roll
30, 60, 90 cm

056954
150 x 62 x 110 cm
- 12 kg
122 x 29 x 17 cm

**CHARIOT DE STOCKAGE - Storage trolley -
Lagerrollwagen**

040243

71 x 90 x 197 cm
41 kg
x2:
90 x 6 x 147 cm
+ 97 x 74 x 24 cm

TIGES DE BLOCAGE - Flap Lock

056732

30 > 115 cm

**TABOURET - Round Stool with Tool Storage -
Werkstatt-Rollhocker**

057555
38 x 38 x 44 cm - 6 kg
40 x 40 x 18 cm

max: 50 cm
min: 38 cm

SERVANTE 3 PLATEAUX - Workstation 3 shelves

068056

65 kg max

835 mm

65 kg max

65 kg max

390 mm

800 mm

SERVANTE PREMIUM 5 TIROIRS - Workstation Premium 5 drawers

076143

NEW 02/2023

1000 mm

560 mm

940 mm

**CHARIOT DE VISITE - Mechanics Creeper With Tilting Headrest -
Werkstatt-Rollliege**

057548
102 x 43 x 11 cm
7.2 kg
11 x 44 x 13 cm

**MARCHE PIED - Folding Step Stool (Aluminium) -
Arbeitspodest klappbar**

ALU 150 kg

057562
8.2 kg
102 x 41 x 59 cm

960 mm

385 mm

475 mm

**CHARIOT POUR ÉLÉMENTS DE CARROSSERIE - Universal support -
Universelle Ständer**

066281
20 kg

max 80 kg

Ø 4.5 cm

80 cm

Ø 12.5

115 cm

70-100 cm

MADE IN HIGH QUALITY POLAND

ALU 150 kg

1090 > 1750 mm

520 > 900 mm

300 mm

058552
15.5 Kg
116 x 43 x 17 cm - 16.5 kg

COUVERTURE ANTI-CHALEUR - Heat cover - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento

PROTEC 550
 550°C/1000°F - Class M0
 2m x 2m - 580 g/m²
 050495

PROTEC 1200
 1200°C/2200°F - Class M0
 1.75 m x 1.5 m - 1200 g/m²
 050204

PROTEC 1300
 1300°C/2400°F - Class M0
 XL: 2 m x 1.8 m - 620 g/m²
 053595

PROTEC 1300L
 1300°C/2400°F
 XL: 2 m x 1.8 m - 427 g/m²
 060500

JEU DE 2 AIMANTS

- Set of 2 magnets -
Schweißmagnet

(x2)
052291

COUVERTURE MAGNÉTIQUE - Magnetic cover - Magnetschutzdecke

1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand

OPTI 215.0
 Orange CE - 2 x 2.15 m
 EN 25980 - 2015/01
 060470

OPTI 200G
 Green T9 - 2 x 2 m
 EN 25980 - 2015/01
 060463

MASQUES RESPIRATOIRES - Respiratory masks - Atemschutzmaske - Máscaras respiratorias

FFP3 - EN 140 / EN 143 / EN 166
 (x1) Size M/L
 037021

FFP3 - EN 140 / EN 143
 (x1) Size M/L
 037014

Étui / Case
037045

FFP3 - EN 143 : 2000 P3
 Anti poussières /
Anti odeurs
037038

LUNETTES DE PROTECTION
- Protection goggles - Schutzbrillen

EN 166

Shade/IR0
042810
 Shade/IR0
042827
 Shade/IR5
042841
 Shade/IR0
047778
 Shade/IR0
047792
 Shade/IR0
042865
 Shade/IR0
047839

GANTS - Gloves - Handschuhe - Guantes

Anti coupe -
Anti-cut
T9
045897
 EN388
4342

✓ écran tactile
- touch screen friendly
 Anti coupe
haute résistance
High resistance anti-cut
EN 420
EN 388:4121
 T9: 045910
 T10: 045927

Anti coupe
haute dextérité
anti-cut
EN 420
EN 388:1121
 T9: 045903
 T10: 045934

T10
064188
 EN420
2003
 EN388
2003
 Ultra Flexible

EN388
4244
 EN 407
424X4X
EN12477
Class: A1
 Heavy Duty T10
(MMA - MIG - Plasma)
045101

Cuir
Leather
 EN388
2122
 EN 407
322X2X
EN12477
Class: A1
 Gants PRO TIG
T10
045194

Cuir
Leather
 EN388
2011XX
 EN 407
41313X
EN12477-B
EN 420
 Gants PRO TIG EXTRA
T10
045323

TABLIER CUIR MULTI-USAGE
- Multi-use leather apron - Delantal de cuero multi-uso - Mehrzweck-Lederschürze

Cuir
Leather
 PRO
045217

ÉQUIPEMENTS POUR OPÉRATIONS SUR VÉHICULES ÉLECTRIQUES & HYBRIDES - Equipment for operations on electric and hybrid vehicles - Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

ÉCRAN FACIAL AVEC SERRE-TÊTE
- FACE SHIELD WITH HEADBAND
068018

GANTS ISOLANTS (T10)
- INSULATING GLOVES (T10)
068025

Coffret de 25 outils isolés 1000V
- Box mit 25 isolierten Werkzeugen 1000V
066489

Douilles 7/8/10/12/14/15/17/19/22 mm - 7/8/10/12/14/15/17/19/22 mm sockets	x 9
Pince universelle de 175 mm en chrome vanadium - 175 mm universal pliers in chrome vanadium	x 1
Pince coupante 150 mm en chrome vanadium - Cutting pliers 150 mm in chrome vanadium	x 1
Cluqiet en 3/8" - 3/8" ratchet	x 1
Rallonge 100 mm - Extension 100 mm	x 1
Poignée en T - T-handle	x 1
Clés plates à fourches 7/8/10/12/14/17 mm - Open ended wrenches 7/8/10/12/14/17 mm	x 6
Couteau pour câble - Cable knife	x 1
Tournevis Philips PhH1x100/PhH2x100 mm - Phillips PhH1x100/PhH2x100 mm screwdriver	x 2
Tournevis plats 5.5x125/4x100 mm - Flat screwdriver 5.5x125 / 4x100 mm	x 2

Kit pour le balisage de la zone d'intervention
- Kit for marking the area of intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Balise de signalisation rouge et blanche - Red and white warning pole	x 4
Chaîne de délimitation rouge et blanche - Red and white bounding line	x 1
Pancarte de signalisation "Danger, zone de travail VEH" - Sign board "Danger, working area EHV"	x 2

PANTALON - Trousers - Hose

98% cotton,
2% antistatic
 EN ISO 11611
Class 2-A1
& A2
 EN ISO 11612
A1+A2-B1-
C1-E3-F1
 IEC 61482-2
Class 1-4kA
 EN 1149-5
 EN 14404
+A1
Type 2

S (40/42)
046368
 M (44/46)
046375
 L (48/50)
046382
 XL (52/54)
046399
 XXL (56/58)
046412

VESTE - Jacket - Jacke

IEC 61482-2
Class 1-4kA
 EN ISO 11612
A1+A2-B1-C1-E3-F1
 EN 14404
+A1
Type 2
 EN ISO 11611
Class 2-A1 & A2
 EN 1149-5

98% cotton, 2% antistatic
 S (40/42) 046313
 M (44/46) 046320
 L (48/50) 046337
 XL (52/54) 046344
 XXL (56/58) 046351



A COMPLETE RANGE

for 200 > 240 V MONO / TRI

50/60 Hz

DÉBOSSÉLAGE - Dent pulling - デントプラー

page 6-14

- GYSPT
- 2600
- 2700
- 34.02
- 39.02
- PRO 230
- EXPERT 200
- EXPERT 230
- ALU PRO FV
- COMBI 230 PRO
- ARC PULL 200
- COMBI ARCPULL
- ARCPULL 350



SOUDURE PAR POINT - Spotwelding - スポット溶接

page 51-59

- PTI-s7 220 V
- PTI PREMIUM PRO 220 V
- BP GENIUS 220 V
- PTI GENIUS 220 V



RIVETAGE - Riveting - リベット打ち

page 62-67

- GYSRESS
- 10T
- 10T PP
- 10T PREMIUM PP
- 10T PP CONTROL



MIG/MAG TRADITIONNEL - Traditional MIG/MAG

page 74-75

- M1GYS AUTO
- M3GYS AUTO
- T1GYS AUTO DV
- T3GYS AUTO DV



MIG/MAG INVERTER PULSÉ - ミガマガ パルスインバーター

page 78-81

- AUTOPULSE
- 220-M1 (208-240V)
- 220-M2 (208-240V)
- 220-M3 (208-240V)
- 320-T1 (208-240V)
- 320-T3 (208-240V)



CHARGEUR - Battery charger - バッテリーチャージャー

- GYSFLASH
- 103.24 CNT FV
- 50.12 FV
- 53.48 CNT FV
- 51.12 FV
- 128.12 CNT FV
- 121.12 CNT FV
- 125.12 CNT FV
- 101.24 CNT FV
- 51.48 CNT FV
- 123.12 CNT FV



DÉCOUPAGE PLASMA - Plasma cutting

page 96-97

- EASYCUT 25
- EASYCUT 40
- CUTTER 30 FV
- CUTTER 45 FV



INDUCTION - インダクション

page 90-94

- GYSDUCTION AUTO
- COMBIDUCTION
- POWERDUCTION
- 37 LG
- 39 LG
- 50 LG
- 110 LG
- 160 LG



BSU & CHARGERS

BATTERY SUPPORT UNIT

Homologations Approvals Zulassungen



A FULL RANGE FOR ALL NEEDS



DOWNLOAD CATALOGUE



INDIAN CAR MANUFACTURER APPROVALS / COMPLIANCE

INDIAN HOMOLOGATIONS



	OEM - CARS										OEM - TRUCKS			
DENT PULLER	GYSPT 39.02	•	•	•	•	•	•	•	•	•	•	•	•	•
	SPEEDLINER	•	•	•	•	•	•	•	•	•	•	•	•	•
SPOT WELDERS	GYSPT ALU FV	•	•	•	•	•	•	•	•	•	•	•	•	•
	GYSPT 32D	•	•	•	•	•	•	•	•	•	•	•	•	•
	GYSPT BP-MS/LX/LC/LQC	•	•	•	•	•	•	•	•	•	•	•	•	•
MIG/MAG	GYSPT PTI-s7	•	•	•	•	•	•	•	•	•	•	•	•	•
	CARMIG	•	•	•	•	•	•	•	•	•	•	•	•	•
	T1 GYS AUTO	•	•	•	•	•	•	•	•	•	•	•	•	•
	T3 GYS AUTO	•	•	•	•	•	•	•	•	•	•	•	•	•
PLASMA	NEOPULSE	•	•	•	•	•	•	•	•	•	•	•	•	•
	CUTTER 25K	•	•	•	•	•	•	•	•	•	•	•	•	•
INDUCTION	CUTTER 30FV	•	•	•	•	•	•	•	•	•	•	•	•	•
	GYSDUCTION AUTO	•	•	•	•	•	•	•	•	•	•	•	•	•
BATTERY CHARGERS	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOOLS & TROLLEYS	•	•	•	•	•	•	•	•	•	•	•	•	•	•

CHARGERS
6 - 12 - 24 - 36 - 48 V

STARTERS & CHARGERS
12 - 24 V

BOOSTERS
6 - 12 - 24 V

TESTERS
12 - 24 V

ACCESSORIES
+



INVEST IN THE FUTURE



French manufacturer
since 1964

2
0
2
3

Car Body Welding Systems

Catalogue Carrosserie
Catalogo Carrozzeria
Karosserie-Schweißtechnik Katalog
Catálogo de Soldadura para Carrocería



LinkedIn
 Youtube
 WeChat
 Facebook
 Instagram

www.gys.fr



GYS FRANCE

HEADQUARTERS

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33



GYS GERMANY

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr



GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr



GYS ITALIA

Vega - Parco Scientifico
Tecnologico di Venezia
Via Delle Industrie, 25/4
30175 Marghera - VE
Italia

Tel +39 041 53 21 565
E-mail italia@gys.fr



GYS IBÉRICA

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España

Tel +34 917 409 790
E-mail iberica@gys.fr



GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu
Shanghai
China

Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

MARKETING


Podium de
présentation
- Display
stand
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211



Oriflamme
- Flag
1,75 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039



Linéaire de vente
avec 2 étagères
- Retail display
space
with 2 shelves
- Lochwandregal
mit 2 Böden
(machines not
included)
060784



Distributed by

